



pears.NetTimesheetsAllFiltered



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetTimesheetsAllFiltered"( IN "pWebUserID"
CHAR(20),IN "pFromDate" CHAR(20),IN "pToDate" CHAR(20) )
RESULT( "temptimesheetid" CHAR(20),"serialnumber" CHAR(20),"tempname"
CHAR(60),"position" CHAR(60),"companyname" CHAR(60),"weekenddate"
DATE,"timesheettype" CHAR(1),"timesheettotal" DOUBLE,"companyaddress"
CHAR(250),"theirref" CHAR(50) )
BEGIN
  DECLARE "userClass" CHAR(20);
  DECLARE @companycount INTEGER;
  DECLARE "divid" CHAR(20);
  DECLARE "pstart" DATE;
  DECLARE "pend" DATE;
  SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
  SET "pStart" =
"isNull"("iqxnetstringtodate"("pFromDate"),"dateadd"("week",-1,CURRENT
DATE));
  SET "pEnd" =
"isNull"("iqxnetstringtodate"("pToDate"),"dateadd"("week",1,CURRENT DATE));
  IF "userClass" = 'CANDIDATE' THEN
    SELECT
    "t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
      IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF "tempdesk"."desktype"
= 'W'
      AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
      AND("isNull"("workmonday",0) = 1 OR "isNull"("worktuesday",0) = 1
OR "isNull"("workwednesday",0) = 1 OR "isNull"("workthursday",0) = 1 OR
"isNull"("workfriday",0) = 1
      OR "isNull"("worksaturday",0) = 1 OR "isNull"("worksunday",0) =
1)) THEN 'T'
```



```
ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline" WHERE
"temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
"CompanyAddress",
    "t"."theirref"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN "vacancy"
KEY JOIN "employment" KEY JOIN "company"
    , "temptimesheet" AS "t" KEY JOIN "tempdesk"
    , "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN "iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid"
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
ELSE IF "userClass" = 'AGENCY' THEN
SELECT
    "t"."temptimesheetid", "t"."serialnumber", "string"("person"."surname",',',
    ',',"person"."forenames") AS "tempname", "vacancy"."position", "company"."name"
AS "companyname", "weekmonthenddate"("t"."period", "t"."periodlength") AS
    "weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
    "tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
    "t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
    NOT NULL
        AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0) =
    1 OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
    "isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0) =
    1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline" WHERE
    "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
    "CompanyAddress",
        "t"."theirref"
    FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN "vacancy"
    KEY JOIN "employment" KEY JOIN "company"
        , "temptimesheet" AS "t" KEY JOIN "tempdesk"
        , "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN "pay_employee"
    KEY JOIN "company" AS "agcomp" KEY JOIN "employment" AS "agemp" KEY JOIN
    "iqxnetuserlink"
        WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
    "weekenddate" >= "IQXNetCompanyStartDate"("agcomp"."companyid")
        AND "weekenddate" BETWEEN "pStart" AND "pEnd"
        ORDER BY "t"."serialnumber" DESC
    ELSE IF "userClass" = 'OWNER' THEN
        SET "divid" = (SELECT FIRST "staff"."divisionid" FROM "iqxnetuser"
    KEY JOIN "staff" WHERE "iqxnetuser"."iqxnetuserid" = "pwebuserid");
```



```
SELECT
"t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'',
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0)
= 1 OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
"isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0)
= 1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline"
WHERE "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
"CompanyAddress",
    "t"."theirref"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
    ,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "company"."divisionid" = "divid" AND "person"."divisionid" =
"divid" ORDER BY "t"."serialnumber" DESC
ELSE -- CLIENT
    SET @companycount = (SELECT "count"() FROM "iqxnetuserlink" WHERE
"iqxnetuserid" = "pWebUserID");
    SELECT
"t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'',
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0)
= 1 OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
"isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0)
= 1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitscharged"*"chargerate") FROM
```



```
"temptimesheetline" WHERE "temptimesheetid" = "t"."temptimesheetid") AS
"timesheettotal",
    (IF @companycount > 1 THEN
"GetCompanyAddressOnLine"("company"."companyid")
    ELSE ''
    endif) AS "CompanyAddress","t"."theirref"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company" KEY JOIN "employment" AS
"allemps" KEY JOIN "iqxnetuserlink"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
    ,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
"weekenddate" >= "IQXNetCompanyStartDate"("company"."companyid")
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
    END IF
    END IF
    END IF
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetTimesheetsAllFiltered"
IS
{CREATE PROCEDURE pears."NetTimesheetsAllFiltered"( IN "pWebUserID"
CHAR(20),IN "pFromDate" CHAR(20),IN "pToDate" CHAR(20) )
RESULT( "temptimesheetid" CHAR(20),"serialnumber" CHAR(20),"tempname"
CHAR(60),"position" CHAR(60),"companyname" CHAR(60),"weekenddate"
DATE,"timesheettype" CHAR(1),"timesheettotal" DOUBLE,"companyaddress"
CHAR(250),"theirref" CHAR(50) )
BEGIN
    DECLARE "userClass" CHAR(20);
    DECLARE @companycount INTEGER;
    DECLARE "divid" CHAR(20);
    DECLARE "pstart" DATE;
    DECLARE "pend" DATE;
    SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
    SET "pStart" =
"isnull"("iqxnetstringtodate"("pFromDate"),"dateadd"("week",-1,CURRENT
DATE));
    SET "pEnd" =
"isnull"("iqxnetstringtodate"("pToDate"),"dateadd"("week",1,CURRENT DATE));
    IF "userClass" = 'CANDIDATE' THEN
        SELECT
        "t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
```



```
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF "tempdesk"."desktype"
= 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0) = 1
OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
"isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0) =
1)) THEN 'T'
    ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline" WHERE
"temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
"CompanyAddress",
    "t"."theirref"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN "vacancy"
KEY JOIN "employment" KEY JOIN "company"
    , "temptimesheet" AS "t" KEY JOIN "tempdesk"
    , "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN "iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid"
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
ELSE IF "userClass" = 'AGENCY' THEN
SELECT
"t"."temptimesheetid", "t"."serialnumber", "string"("person"."surname",',',
', "person"."forenames") AS "tempname", "vacancy"."position", "company"."name"
AS "companyname", "weekmonthenddate"("t"."period", "t"."periodlength") AS
"weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
        AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
            AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0) =
1 OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
"isnull"("workfriday",0) = 1
            OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0) =
1)) THEN 'T'
        ELSE 'C'
        endif endif AS "timesheettype",
        (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline" WHERE
"temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
"CompanyAddress",
        "t"."theirref"
        FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN "vacancy"
KEY JOIN "employment" KEY JOIN "company"
        , "temptimesheet" AS "t" KEY JOIN "tempdesk"
```



```
, "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN "pay_employee"
KEY JOIN "company" AS "agcomp" KEY JOIN "employment" AS "agemp" KEY JOIN
"iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
"weekenddate" >= "IQXNetCompanyStartDate"("agcomp"."companyid")
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
ELSE IF "userClass" = 'OWNER' THEN
SET "divid" = (SELECT FIRST "staff"."divisionid" FROM "iqxnetuser"
KEY JOIN "staff" WHERE "iqxnetuser"."iqxnetuserid" = "pwebuserid");
SELECT
"t"."temptimesheetid", "t"."serialnumber", "string"("person"."surname", ',
', "person"."forenames") AS "tempname", "vacancy"."position", "company"."name"
AS "companyname", "weekmonthenddate"("t"."period", "t"."periodlength") AS
"weekenddate",
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0)
= 1 OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
"isnull"("workfriday",0) = 1
OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0)
= 1)) THEN 'T'
ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline"
WHERE "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal", ' AS
"CompanyAddress",
"t"."theirref"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company"
, "temptimesheet" AS "t" KEY JOIN "tempdesk"
, "temptimesheet" AS "t" KEY JOIN "person"
WHERE "company"."divisionid" = "divid" AND "person"."divisionid" =
"divid" ORDER BY "t"."serialnumber" DESC
ELSE -- CLIENT
SET @companycount = (SELECT "count"() FROM "iqxnetuserlink" WHERE
"iqxnetuserid" = "pWebUserID");
SELECT
"t"."temptimesheetid", "t"."serialnumber", "string"("person"."surname", ',
', "person"."forenames") AS "tempname", "vacancy"."position", "company"."name"
AS "companyname", "weekmonthenddate"("t"."period", "t"."periodlength") AS
"weekenddate",
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
```



```
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR "isnull"("worktuesday",0)
= 1 OR "isnull"("workwednesday",0) = 1 OR "isnull"("workthursday",0) = 1 OR
"isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR "isnull"("worksunday",0)
= 1)) THEN 'T'
        ELSE 'C'
        endif endif AS "timesheettype",
        (SELECT "sum"("unitscharged"*"chagerate") FROM
"temptimesheetline" WHERE "temptimesheetid" = "t"."temptimesheetid") AS
"timesheettotal",
        (IF @companycount > 1 THEN
"GetCompanyAddressOnLine"("company"."companyid")
        ELSE ''
        endif) AS "CompanyAddress","t"."theirref"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company" KEY JOIN "employment" AS
"allemps" KEY JOIN "iqxnetuserlink"
        ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
        ,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
"weekenddate" >= "IQXNetCompanyStartDate"("company"."companyid")
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
END IF
END IF
END IF
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_nettimesheetsallfiltered

Last update: 2026/08/07 19:24

