



pears.NetTimesheetsAllFilteredExtended



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."NetTimesheetsAllFilteredExtended"( IN "pWebUserID"
CHAR(20),IN "pStartDate" CHAR(20) DEFAULT NULL,IN "pEndDate" CHAR(20)
DEFAULT NULL,IN "pPageNo" INTEGER DEFAULT 1,IN "SearchString" CHAR(100)
DEFAULT NULL,IN "SampleSize" INTEGER DEFAULT 25 )
RESULT( "temptimesheetid" CHAR(20),"serialnumber" CHAR(20),"tempname"
CHAR(60),"position" CHAR(60),"companyname" CHAR(60),"weekenddate"
DATE,"timesheettype" CHAR(1),"timesheettotal" CHAR(12),"companyaddress"
CHAR(250),"theirref" CHAR(50),"InvoiceNo" CHAR(25),"ExternalStatus"
INTEGER,"ShiftList" CHAR(500),"RowCount" INTEGER )
-- 20121114 force two decimal places on total
-- 20121218 add Shift List to allow searching
-- 20130219 derived from GenevaNetTimesheetsAllFiltered
BEGIN
  DECLARE "userClass" CHAR(20);
  DECLARE @companycount INTEGER;
  DECLARE "divid" CHAR(20);
  DECLARE "pstart" DATE;
  DECLARE "pend" DATE;
  DECLARE "RangeStart" INTEGER;
  DECLARE "SearchStr" CHAR(100);
  DECLARE LOCAL TEMPORARY TABLE "DSet"(
    "temptimesheetid" CHAR(20) NULL,
    "serialnumber" CHAR(20) NULL,
    "tempname" CHAR(60) NULL,
    "position" CHAR(60) NULL,
    "companyname" CHAR(60) NULL,
    "weekenddate" DATE NULL,
    "timesheettype" CHAR(1) NULL,
    "timesheettotal" DECIMAL(10,2) NULL,
    "companyaddress" CHAR(250) NULL,
    "theirref" CHAR(50) NULL,
    "InvoiceNo" CHAR(25) NULL,
    "ExternalStatus" bit NULL,
    "ShiftList" CHAR(500) NULL,
  ) NOT transactional;
```



```
SET "RangeStart" = (( "pPageNo"-1)*"SampleSize");
SET "SearchStr" = "trim"("replace"("SearchString",' ','%'));
IF "RangeStart" = 0 THEN SET "RangeStart" = 1
END IF;
IF "RangeStart" > 1 THEN SET "RangeStart" = "RangeStart"+1
END IF;
SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
SET "pStart" =
"isNull"("iqxnetstringtodate"("pStartDate"),"dateadd"("week",-1,CURRENT
DATE));
SET "pEnd" =
"isNull"("iqxnetstringtodate"("pEndDate"),"dateadd"("week",1,CURRENT DATE));
IF "userClass" = 'CANDIDATE' THEN
    INSERT INTO "DSet" SELECT
    "t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
    "tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
    "t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
    NOT NULL
    AND("isNull"("workmonday",0) = 1 OR "isNull"("worktuesday",0) =
    1 OR "isNull"("workwednesday",0) = 1 OR "isNull"("workthursday",0) = 1 OR
    "isNull"("workfriday",0) = 1
    OR "isNull"("worksaturday",0) = 1 OR "isNull"("worksunday",0) =
    1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline" WHERE
    "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
    "CompanyAddress",
    "t"."theirref",
    (SELECT FIRST "string"(' ','iqacdocument"."ourref") FROM
    "iqacjournal" KEY JOIN "iqacdocument","iqacjournal" JOIN "temptimesheetline"
    ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
    "temptimesheetline"."temptimesheetlineid" WHERE
    "temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
    "InvoiceNo",
    "t"."ExternalStatus",
    (SELECT "replace"("list"("tp"."shiftserialnumber"),',',' ') FROM
    "tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
    "ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
    FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN "vacancy"
    KEY JOIN "employment" KEY JOIN "company"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
```



```
    , "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN
    "iqxnetuserlink"
    WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid"
    AND "weekenddate" BETWEEN "pStart" AND "pEnd"
    ORDER BY "t"."serialnumber" DESC
    ELSE IF "userClass" = 'AGENCY' THEN
    INSERT INTO "DSet" SELECT
    "t"."temptimesheetid", "t"."serialnumber", "string"("person"."surname", ',',
    ', "person"."forenames") AS "tempname", "vacancy"."position", "company"."name"
    AS "companyname", "weekmonthenddate"("t"."period", "t"."periodlength") AS
    "weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
    "tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
    "t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
    NOT NULL
    AND("isnull"("workmonday", 0) = 1 OR "isnull"("worktuesday", 0)
    = 1 OR "isnull"("workwednesday", 0) = 1 OR "isnull"("workthursday", 0) = 1 OR
    "isnull"("workfriday", 0) = 1
    OR "isnull"("worksaturday", 0) = 1 OR "isnull"("worksunday", 0)
    = 1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline"
    WHERE "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal", '' AS
    "CompanyAddress",
    "t"."theirref",
    (SELECT FIRST "string"(' ', "iqacdocument"."ourref") FROM
    "iqacjournal" KEY JOIN "iqacdocument", "iqacjournal" JOIN "temptimesheetline"
    ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
    "temptimesheetline"."temptimesheetlineid" WHERE
    "temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
    "InvoiceNo",
    "t"."ExternalStatus",
    (SELECT "replace"("list"("tp"."shiftserialnumber"), ',', ' ') FROM
    "tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
    "ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
    FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
    "vacancy" KEY JOIN "employment" KEY JOIN "company"
    , "temptimesheet" AS "t" KEY JOIN "tempdesk"
    , "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN
    "pay_employee" KEY JOIN "company" AS "agcomp" KEY JOIN "employment" AS
    "agemp" KEY JOIN "iqxnetuserlink"
    WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
    "weekenddate" >= "IQXNetCompanyStartDate"("agcomp"."companyid")
    AND "weekenddate" BETWEEN "pStart" AND "pEnd"
    ORDER BY "t"."serialnumber" DESC
    ELSE IF "userClass" = 'OWNER' THEN
```



```
SET "divid" = (SELECT FIRST "staff"."divisionid" FROM "iqxnetuser"
KEY JOIN "staff" WHERE "iqxnetuser"."iqxnetuserid" = "pwebuserid");
INSERT INTO "DSet" SELECT
"t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'',
','person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
AND("isnull"("workmonday",0) = 1 OR
"isnull"("worktuesday",0) = 1 OR "isnull"("workwednesday",0) = 1 OR
"isnull"("workthursday",0) = 1 OR "isnull"("workfriday",0) = 1
OR "isnull"("worksaturday",0) = 1 OR
"isnull"("worksunday",0) = 1)) THEN 'T'
ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline"
WHERE "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
"CompanyAddress",
"t"."theirref",
(SELECT FIRST "string"(' ','iqacdocument"."ourref") FROM
"iqacjournal" KEY JOIN "iqacdocument","iqacjournal" JOIN "temptimesheetline"
ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
"temptimesheetline"."temptimesheetlineid" WHERE
"temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
"InvoiceNo",
"t"."ExternalStatus",
(SELECT "replace"("list"("tp"."shiftserialnumber"),',',' ') FROM
"tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
"ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company"
,"temptimesheet" AS "t" KEY JOIN "tempdesk"
,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "company"."divisionid" = "divid" AND "person"."divisionid"
= "divid"
ORDER BY "t"."serialnumber" DESC
ELSE -- CLIENT
SET @companycount = (SELECT "count"() FROM "iqxnetuserlink" WHERE
"iqxnetuserid" = "pWebUserID");
INSERT INTO "DSet" SELECT
"t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'',
','person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
```



```
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR
"isnull"("worktuesday",0) = 1 OR "isnull"("workwednesday",0) = 1 OR
"isnull"("workthursday",0) = 1 OR "isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR
"isnull"("worksunday",0) = 1)) THEN 'T'
    ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitscharged"*"chargerate") FROM
"temptimesheetline" WHERE "temptimesheetid" = "t"."temptimesheetid") AS
"timesheettotal",
(IF @companycount > 1 THEN
"GetCompanyAddressOnLine"("company"."companyid")
ELSE ''
endif) AS "CompanyAddress","t"."theirref",
(SELECT FIRST "string"(' ','iqacdocument"."ourref") FROM
"iqacjournal" KEY JOIN "iqacdocument","iqacjournal" JOIN "temptimesheetline"
ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
"temptimesheetline"."temptimesheetlineid" WHERE
"temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
"InvoiceNo",
"t"."ExternalStatus",
(SELECT "replace"("list"("tp"."shiftserialnumber"),',',' ') FROM
"tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
"ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company" KEY JOIN "employment" AS
"allemps" KEY JOIN "iqxnetuserlink"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
    ,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
"weekenddate" >= "IQXNetCompanyStartDate"("company"."companyid")
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
END IF END IF END IF;
WITH
"RowData" AS(SELECT "row_number"() OVER(ORDER BY "temptimesheetid" ASC) AS
"RowNumber",
"temptimesheetid","serialnumber","tempname","position","companyname","weeken
ddate","timesheettype","timesheettotal","companyaddress","theirref","Invoice
No","ExternalStatus","ShiftList" FROM "DSet"
    WHERE("serialnumber" LIKE '%'+SearchStr+'%' OR "tempname" LIKE
'%'+SearchStr+'%' OR "position" LIKE '%'+SearchStr+'%' OR "companyname"
LIKE '%'+SearchStr+'%' OR "InvoiceNo" LIKE '%'+SearchStr+'%' OR
```



```
"ShiftList" LIKE '%'+SearchStr+'%'))
-- output full dataset without RowNumber filtered on RowNumber
SELECT top "SampleSize" START at "RangeStart"
"temptimesheetid","serialnumber","tempname","position","companyname","weeken
ddate","timesheettype",CAST("timesheettotal" AS
DECIMAL(10,2)), "companyaddress","theirref","InvoiceNo","ExternalStatus","Shi
ftList",@@ROWCOUNT
FROM "RowData"
END
GO

COMMENT TO PRESERVE FORMAT ON PROCEDURE
"pears"."NetTimesheetsAllFilteredExtended" IS
{CREATE PROCEDURE pears."NetTimesheetsAllFilteredExtended"( IN "pWebUserID"
CHAR(20),IN "pStartDate" CHAR(20) DEFAULT NULL,IN "pEndDate" CHAR(20)
DEFAULT NULL,IN "pPageNo" INTEGER DEFAULT 1,IN "SearchString" CHAR(100)
DEFAULT NULL,IN "SampleSize" INTEGER DEFAULT 25 )
RESULT( "temptimesheetid" CHAR(20),"serialnumber" CHAR(20),"tempname"
CHAR(60),"position" CHAR(60),"companyname" CHAR(60),"weekenddate"
DATE,"timesheettype" CHAR(1),"timesheettotal" CHAR(12),"companyaddress"
CHAR(250),"theirref" CHAR(50),"InvoiceNo" CHAR(25),"ExternalStatus"
INTEGER,"ShiftList" CHAR(500),"RowCount" INTEGER )
-- 20121114 force two decimal places on total
-- 20121218 add Shift List to allow searching
-- 20130219 derived from GenevaNetTimesheetsAllFiltered
BEGIN
DECLARE "userClass" CHAR(20);
DECLARE @companycount INTEGER;
DECLARE "divid" CHAR(20);
DECLARE "pstart" DATE;
DECLARE "pend" DATE;
DECLARE "RangeStart" INTEGER;
DECLARE "SearchStr" CHAR(100);
DECLARE LOCAL TEMPORARY TABLE "DSet"(
    "temptimesheetid" CHAR(20) NULL,
    "serialnumber" CHAR(20) NULL,
    "tempname" CHAR(60) NULL,
    "position" CHAR(60) NULL,
    "companyname" CHAR(60) NULL,
    "weekenddate" DATE NULL,
    "timesheettype" CHAR(1) NULL,
    "timesheettotal" DECIMAL(10,2) NULL,
    "companyaddress" CHAR(250) NULL,
    "theirref" CHAR(50) NULL,
    "InvoiceNo" CHAR(25) NULL,
    "ExternalStatus" bit NULL,
    "ShiftList" CHAR(500) NULL,
) NOT transactional;
```



```
SET "RangeStart" = (("pPageNo"-1)*"SampleSize");
SET "SearchStr" = "trim"("replace"("SearchString",' ','%'));
IF "RangeStart" = 0 THEN SET "RangeStart" = 1
END IF;
IF "RangeStart" > 1 THEN SET "RangeStart" = "RangeStart"+1
END IF;
SET "userClass" = (SELECT FIRST "iqxnetuserclassid" FROM "iqxnetuser"
WHERE "iqxnetuserid" = "pWebUserID");
SET "pStart" =
"isNull"("iqxnetstringtodate"("pStartDate"),"dateadd"("week",-1,CURRENT
DATE));
SET "pEnd" =
"isNull"("iqxnetstringtodate"("pEndDate"),"dateadd"("week",1,CURRENT DATE));
IF "userClass" = 'CANDIDATE' THEN
    INSERT INTO "DSet" SELECT
    "t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
    "tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
    "t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
    NOT NULL
    AND("isNull"("workmonday",0) = 1 OR "isNull"("worktuesday",0) =
    1 OR "isNull"("workwednesday",0) = 1 OR "isNull"("workthursday",0) = 1 OR
    "isNull"("workfriday",0) = 1
    OR "isNull"("worksaturday",0) = 1 OR "isNull"("worksunday",0) =
    1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline" WHERE
    "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
    "CompanyAddress",
    "t"."theirref",
    (SELECT FIRST "string"(' ','iqacdocument"."ourref") FROM
    "iqacjournal" KEY JOIN "iqacdocument","iqacjournal" JOIN "temptimesheetline"
    ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
    "temptimesheetline"."temptimesheetlineid" WHERE
    "temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
    "InvoiceNo",
    "t"."ExternalStatus",
    (SELECT "replace"("list"("tp"."shiftserialnumber"),',',' ') FROM
    "tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
    "ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
    FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN "vacancy"
    KEY JOIN "employment" KEY JOIN "company"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
```



```
, "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN
"iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid"
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
ELSE IF "userClass" = 'AGENCY' THEN
INSERT INTO "DSet" SELECT
"t"."temptimesheetid", "t"."serialnumber", "string"("person"."surname", ' ',
' ', "person"."forenames") AS "tempname", "vacancy"."position", "company"."name"
AS "companyname", "weekmonthenddate"("t"."period", "t"."periodlength") AS
"weekenddate",
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
AND("isnull"("workmonday", 0) = 1 OR "isnull"("worktuesday", 0)
= 1 OR "isnull"("workwednesday", 0) = 1 OR "isnull"("workthursday", 0) = 1 OR
"isnull"("workfriday", 0) = 1
OR "isnull"("worksaturday", 0) = 1 OR "isnull"("worksunday", 0)
= 1)) THEN 'T'
ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline"
WHERE "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal", ' ' AS
"CompanyAddress",
"t"."theirref",
(SELECT FIRST "string"(' ', "iqacdocument"."ourref") FROM
"iqacjournal" KEY JOIN "iqacdocument", "iqacjournal" JOIN "temptimesheetline"
ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
"temptimesheetline"."temptimesheetlineid" WHERE
"temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
"InvoiceNo",
"t"."ExternalStatus",
(SELECT "replace"("list"("tp"."shiftserialnumber"), ',', ' ') FROM
"tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
"ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company"
, "temptimesheet" AS "t" KEY JOIN "tempdesk"
, "temptimesheet" AS "t" KEY JOIN "person" KEY JOIN
"pay_employee" KEY JOIN "company" AS "agcomp" KEY JOIN "employment" AS
"agemp" KEY JOIN "iqxnetuserlink"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
"weekenddate" >= "IQXNetCompanyStartDate"("agcomp"."companyid")
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
ELSE IF "userClass" = 'OWNER' THEN
```



```
SET "divid" = (SELECT FIRST "staff"."divisionid" FROM "iqxnetuser"
KEY JOIN "staff" WHERE "iqxnetuser"."iqxnetuserid" = "pwebuserid");
INSERT INTO "DSet" SELECT
"t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'',
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
    IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR
"isnull"("worktuesday",0) = 1 OR "isnull"("workwednesday",0) = 1 OR
"isnull"("workthursday",0) = 1 OR "isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR
"isnull"("worksunday",0) = 1)) THEN 'T'
    ELSE 'C'
    endif endif AS "timesheettype",
    (SELECT "sum"("unitspaid"*"payrate") FROM "temptimesheetline"
WHERE "temptimesheetid" = "t"."temptimesheetid") AS "timesheettotal",' AS
"CompanyAddress",
    "t"."theirref",
    (SELECT FIRST "string"(' ', "iqacdocument"."ourref") FROM
"iqacjournal" KEY JOIN "iqacdocument", "iqacjournal" JOIN "temptimesheetline"
ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
"temptimesheetline"."temptimesheetlineid" WHERE
"temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
"InvoiceNo",
    "t"."ExternalStatus",
    (SELECT "replace"("list"("tp"."shiftserialnumber"),',',' ') FROM
"tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
"ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
    ,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "company"."divisionid" = "divid" AND "person"."divisionid"
= "divid"
ORDER BY "t"."serialnumber" DESC
ELSE -- CLIENT
SET @companycount = (SELECT "count"() FROM "iqxnetuserlink" WHERE
"iqxnetuserid" = "pWebUserID");
INSERT INTO "DSet" SELECT
"t"."temptimesheetid","t"."serialnumber","string"("person"."surname",'',
',"person"."forenames") AS "tempname","vacancy"."position","company"."name"
AS "companyname","weekmonthenddate"("t"."period","t"."periodlength") AS
"weekenddate",
```



```
IF "tempdesk"."desktype" = 'S' THEN 'S' ELSE IF
"tempdesk"."desktype" = 'W'
    AND EXISTS(SELECT * FROM "placement" WHERE "placementid" =
"t"."placementid" AND "worknormalhours" IS NOT NULL AND "workstarttime" IS
NOT NULL
        AND("isnull"("workmonday",0) = 1 OR
"isnull"("worktuesday",0) = 1 OR "isnull"("workwednesday",0) = 1 OR
"isnull"("workthursday",0) = 1 OR "isnull"("workfriday",0) = 1
        OR "isnull"("worksaturday",0) = 1 OR
"isnull"("worksunday",0) = 1)) THEN 'T'
    ELSE 'C'
endif endif AS "timesheettype",
(SELECT "sum"("unitscharged"*"chargerate") FROM
"temptimesheetline" WHERE "temptimesheetid" = "t"."temptimesheetid") AS
"timesheettotal",
(IF @companycount > 1 THEN
"GetCompanyAddressOnLine"("company"."companyid")
ELSE ''
endif) AS "CompanyAddress","t"."theirref",
(SELECT FIRST "string"(' ','iqacdocument"."ourref") FROM
"iqacjournal" KEY JOIN "iqacdocument","iqacjournal" JOIN "temptimesheetline"
ON "iqacjournal"."xref" = 'T' AND "iqacjournal"."xrefid" =
"temptimesheetline"."temptimesheetlineid" WHERE
"temptimesheetline"."temptimesheetid" = "t"."temptimesheetid") AS
"InvoiceNo",
"t"."ExternalStatus",
(SELECT "replace"("list"("tp"."shiftserialnumber"),',',' ') FROM
"tempshiftplan" AS "tp" KEY JOIN "tempshift" KEY JOIN "temptimesheet" AS
"ts" WHERE "ts"."temptimesheetid" = "t"."temptimesheetid") AS "ShiftList"
FROM "temptimesheet" AS "t" KEY JOIN "placement" KEY JOIN
"vacancy" KEY JOIN "employment" KEY JOIN "company" KEY JOIN "employment" AS
"allemps" KEY JOIN "iqxnetuserlink"
    ,"temptimesheet" AS "t" KEY JOIN "tempdesk"
    ,"temptimesheet" AS "t" KEY JOIN "person"
WHERE "iqxnetuserlink"."iqxnetuserid" = "pwebuserid" AND
"weekenddate" >= "IQXNetCompanyStartDate"("company"."companyid")
AND "weekenddate" BETWEEN "pStart" AND "pEnd"
ORDER BY "t"."serialnumber" DESC
END IF
END IF END IF;
WITH
"RowData" AS(SELECT "row_number"() OVER(ORDER BY "temptimesheetid" ASC) AS
"RowNumber",
"temptimesheetid","serialnumber","tempname","position","companyname","weeken
ddate","timesheettype","timesheettotal","companyaddress","theirref","Invoice
No","ExternalStatus","ShiftList" FROM "DSet"
    WHERE("serialnumber" LIKE '%'+SearchStr+'%' OR "tempname" LIKE
'%'+SearchStr+'%' OR "position" LIKE '%'+SearchStr+'%' OR "companyname"
```



```
LIKE '%'+"SearchStr"+'%' OR "InvoiceNo" LIKE '%'+"SearchStr"+'%' OR
"ShiftList" LIKE '%'+"SearchStr"+'%'))
-- output full dataset without RowNumber filtered on RowNumber
SELECT top "SampleSize" START at "RangeStart"
"temptimesheetid", "serialnumber", "tempname", "position", "companyname", "weeken
ddate", "timesheettype", CAST("timesheettotal" AS
DECIMAL(10,2)), "companyaddress", "theirref", "InvoiceNo", "ExternalStatus", "Shi
ftList", @@ROWCOUNT
FROM "RowData"
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_nettimesheetsallfilteredextended

Last update: 2026/08/07 19:24

