



pears.NetVacancyHasRateScript



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."NetVacancyHasRateScript" IS
{CREATE FUNCTION pears.NetVacancyHasRateScript(IN jtypeid CHAR(20),IN vacid
CHAR(20))
RETURNS INTEGER
BEGIN
    IF jtypeid IS NOT NULL THEN
        IF EXISTS(SELECT * FROM tempjobtype WHERE tempjobtypeid = jtypeid AND
tempratescriptid IS NOT NULL) THEN
            RETURN 1
        ELSE
            RETURN 0
        END IF
    ELSE
        IF EXISTS(SELECT * FROM vacancy AS v KEY JOIN tempjobtype AS t WHERE
v.vacancyid = vacid AND t.tempratescriptid IS NOT NULL) THEN
            RETURN 1
        ELSE
            RETURN 0
        END IF
    END IF
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_netvacancyhasratescript

Last update: 2026/08/07 19:24

