



pears.proper



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."proper" IS
{CREATE FUNCTION proper

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(IN OldString CHAR(255))
RETURNS CHAR(255)
BEGIN
    DECLARE NewString CHAR(255);
    DECLARE StringLength SMALLINT;
    DECLARE CurrentChar CHAR(1);
    DECLARE LastChar CHAR(1);
    DECLARE CurrentPos SMALLINT;
    IF OldString IS NULL THEN RETURN(NULL)
    END IF;
    SET oldstring=LOWER(oldstring);
    SET stringlength=LENGTH(OldString);
    SET CurrentPos=1;
    SET NewString='';
    process: loop
        SET CurrentChar=substr(OldString,CurrentPos,1);
        IF CurrentPos = 1 THEN
            SET currentchar=UPPER(currentchar)
        ELSE
            SET LastChar=substr(OldString,CurrentPos-1,1);
            IF ascii(LOWER(lastchar)) NOT BETWEEN 97 AND 122 AND(ascii(lastchar)
NOT BETWEEN 128 AND 154) AND(ascii(lastchar) NOT BETWEEN 160 AND 165) THEN
                SET CurrentChar=UPPER(CurrentChar)
            END IF
        END IF;
        SET NEWString=Newstring || CurrentChar;
        SET CurrentPos=CurrentPos+1;
        IF CurrentPos > StringLength THEN leave process
        END IF
    END loop process;
```



```
RETURN(NewString)
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_proper

Last update: **2026/08/07 19:24**

