



pears.psHealthInsertUpdateShift



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."psHealthInsertUpdateShift"(  
    IN @TempShiftID CHAR(20), IN @TempShiftPlanID CHAR(20) )  
BEGIN  
    DECLARE "recipid" CHAR(20);  
    DECLARE "tempid" CHAR(20);  
    DECLARE "vacid" CHAR(20);  
    DECLARE "sdate" TIMESTAMP;  
    DECLARE "edate" TIMESTAMP;  
    DECLARE "sstate" CHAR(1);  
    -- shift and shiftplan  
    -- do the insert/update into psHealthShift here  
    -- if inserting check sending recipient, temp, vacancy  
    -- no recipient do nothing  
    -- if updating check just flag resending  
    IF @TempShiftID IS NOT NULL THEN  
        SELECT "recipientid" INTO "recipid" FROM "vacancy" KEY JOIN "tempshift"  
WHERE "tempshiftid" = @TempShiftID;  
        SELECT "personid", "vacancyid" INTO "tempid", "vacid" FROM "tempshift"  
WHERE "tempshiftid" = @TempShiftID  
    ELSE  
        SELECT "recipientid", "vacancy"."vacancyid" INTO "recipid", "vacid" FROM  
"vacancy" KEY JOIN "tempshiftplan" WHERE "tempshiftplanid" =  
@TempShiftPlanID  
    END IF;  
    IF (NOT "psHealthCanSendVacancy"("vacid") = 1) OR "recipid" IS NULL THEN  
        RETURN  
    END IF;  
    IF "tempid" IS NOT NULL THEN  
        IF "psHealthCanSendPerson"("tempid", 'C') = 1 THEN  
            CALL "psHealthInsertUpdatePerson"("tempid", 'C')  
        ELSE RETURN  
        END IF  
    END IF  
    IF "psHealthCanSendPerson"("recipid", 'R') = 1 THEN  
        CALL "psHealthInsertUpdatePerson"("recipid", 'R');  
    IF @TempShiftID IS NOT NULL THEN
```



```
SELECT "shiftdate"+"timefrom","shiftdate"+"timeto"+(IF "timefrom" >
"timeto" THEN 1 ELSE 0 endif),
    "state" INTO "sdate","edate","sstate" FROM "tempshift" WHERE
"tempshiftid" = @TempShiftID;
    IF EXISTS(SELECT * FROM "psHealthShift" WHERE "tempshiftid" =
@TempShiftID) THEN
        UPDATE "psHealthShift" SET "transferbatch" = 0,"startdatetime" =
"sdate","enddatetime" = "edate","status" = (IF "sstate" = 'C' THEN
'Cancelled'
        ELSE 'Outstanding'
        endif),"updatedAtTime" = CURRENT_TIMESTAMP WHERE "tempshiftid" =
@TempShiftID
    ELSE
        INSERT INTO "psHealthShift"("endDateTime",
"isDeleted","name","psHealthShiftID","startDateTime","status","taskId","tempshiftid","tenantBranchId","tenantCarerId","tenantCaseId","tenantCustomerId",
        "tenantTaskId","transferbatch" ) SELECT "edate",0,(SELECT
"shiftserialnumber" FROM "tempshiftplan" WHERE "tempshiftplanid" =
"tempshift"."tempshiftplanid"),"uniquekey"('x'),"sdate",'Outstanding',
"pshealthtasktype"(@TempShiftID,NULL),@TempShiftID,"pshealthbranch"(@TempShiftID,NULL,NULL,NULL),
        "appnumber",(SELECT "refcode" FROM "vacancy" WHERE "vacancyid" =
"tempshift"."vacancyid"),(SELECT "appnumber" FROM "person" WHERE "personid"
= (SELECT "recipientid" FROM "vacancy" WHERE "vacancyid" =
"tempshift"."vacancyid")),
        (SELECT "shiftserialnumber" FROM "tempshiftplan" WHERE
"tempshiftplanid" = "tempshift"."tempshiftplanid"),0 FROM "tempshift" KEY
JOIN "person" WHERE "tempshiftid" = @TempShiftID;
        IF NOT EXISTS(SELECT * FROM "psHealthVacancy" WHERE "vacancyid" =
(SELECT "vacancyid" FROM "tempshift" WHERE "tempshiftid" = @TempShiftID))
        THEN
            INSERT INTO "psHealthVacancy"(
"psHealthVacancyID","startDateTime","Status","tenantBranchId","tenantCaseId",
"tenantCustomerId","transferbatch","vacancyid" )
                SELECT "uniquekey"('x'),"startdate",'Referred',
                "pshealthbranch"(@TempShiftID,NULL,NULL,NULL),
                "refcode",(SELECT "appnumber" FROM "person" WHERE "personid" =
"recipientid"),0,"Vacancy"."vacancyid" FROM "tempshift" KEY JOIN "vacancy"
WHERE "tempshiftid" = @TempShiftID
            END IF
        END IF
        ELSE IF EXISTS(SELECT * FROM "psHealthShift" WHERE "tempshiftplanid" =
@TempShiftPlanID) THEN
            UPDATE "psHealthShift" SET "transferbatch" = 0 WHERE
"tempshiftplanid" = @TempShiftPlanID
        ELSE
            -- this will need completing if using shiftplan
```



```
--          this will need completing if using shiftplan
END IF
END IF
END IF
END
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_pshealthinsertupdateshift

Last update: **2026/08/07 19:24**

