



pears.SetNetEmail



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
CREATE PROCEDURE "pears"."SetNetEmail"(  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/  
  IN "cpe" CHAR(2),IN "ptype" CHAR(25),IN "recid" CHAR(20),IN "snumber"  
  CHAR(250) )  
BEGIN  
  DECLARE "xEmail" CHAR(250);  
  IF NOT "ptype" = 'E-mail' THEN  
    RETURN  
  END IF;  
  SELECT FIRST "phone"."number" INTO "xEmail" FROM "phone" KEY JOIN  
  "phonetype" WHERE "phone"."whoid" = "recid" AND "phone"."who" = "cpe"  
  AND "phonetype"."name" = 'E-mail' ORDER BY 1 ASC;  
  IF "xEmail" IS NULL THEN  
    RETURN  
  END IF;  
  SET "xEmail" = "replace"("xEmail",'*','');  
  IF "cpe" = 'P' THEN  
    UPDATE "iqxnetuserlink" KEY JOIN "iqxnetuser" SET  
    "iqxnetuser"."EmailAddress" = "xEmail" WHERE "iqxnetuserlink"."personid" =  
    "recid"  
  ELSE  
    UPDATE "iqxnetuserlink" KEY JOIN "iqxnetuser" SET  
    "iqxnetuser"."EmailAddress" = "xEmail" WHERE "iqxnetuserlink"."employmentid"  
    = "recid"  
  END IF  
exception -- Ignore duplicate email address error  
  WHEN others THEN  
END  
GO  
  
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."SetNetEmail" IS  
{CREATE PROCEDURE SetNetEmail  
  
  /* Application Maintained Function / Procedure - DO NOT EDIT*/
```



```
( IN cpe CHAR(2),IN ptype CHAR(25),IN recid CHAR(20),IN snumber CHAR(250) )
BEGIN
  DECLARE xEmail CHAR(250);
  IF NOT ptype = 'E-mail' THEN
    RETURN
  END IF;
  SELECT FIRST phone.number INTO xEmail FROM phone KEY JOIN phonetype WHERE
  phone.who = recid AND phone.who = cpe
  AND phonetype.name = 'E-mail' ORDER BY 1 ASC;
  IF xEmail IS NULL THEN
    RETURN
  END IF;
  SET xEmail = REPLACE(xEmail, '*', '');
  IF cpe = 'P' THEN
    UPDATE iqxnetuserlink KEY JOIN iqxnetuser SET iqxnetuser.EmailAddress =
    xEmail WHERE iqxnetuserlink.personid = recid
  ELSE
    UPDATE iqxnetuserlink KEY JOIN iqxnetuser SET iqxnetuser.EmailAddress =
    xEmail WHERE iqxnetuserlink.employmentid = recid
  END IF
exception
  WHEN others THEN -- Ignore duplicate email address error
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_setnetemail

Last update: **2026/08/07 19:24**

