



pears.SocialMediaResolve



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."SocialMediaResolve" IS
{CREATE FUNCTION SocialMediaResolve

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(IN MediaName CHAR(2),IN NUMBER CHAR(100))
RETURNS CHAR(100)
BEGIN
  /* MediaName LI - LinkedIn TW - Twitter SK - Skype FB - Facebook */
  CASE MediaName
  WHEN 'TW' THEN
    CASE
    WHEN NUMBER LIKE 'https:%' THEN RETURN NUMBER
    WHEN NUMBER LIKE 'www.twitter%' THEN RETURN string('https://',NUMBER)
  ELSE
    RETURN string('https://www.twitter.com/',NUMBER)
  END CASE
  WHEN 'SK' THEN
    IF NUMBER LIKE 'skype://% ' THEN RETURN string(NUMBER,'?call')
    ELSE RETURN string('skype://',NUMBER,'?call')
    END IF
  WHEN 'FB' THEN
    CASE
    WHEN NUMBER LIKE 'http:%' THEN RETURN NUMBER
    WHEN NUMBER LIKE 'www.facebook%' THEN RETURN string('http://',NUMBER)
  ELSE
    RETURN string('http://www.facebook.com/',NUMBER)
  END CASE
  WHEN 'LI' THEN
    CASE
    WHEN NUMBER LIKE 'http:%' THEN RETURN NUMBER
    WHEN NUMBER LIKE 'https:%' THEN RETURN NUMBER
    WHEN NUMBER LIKE 'uk.linkedin%' THEN RETURN string('http://',NUMBER)
    WHEN NUMBER LIKE 'www.linkedin%' THEN RETURN string('http://',NUMBER)
    WHEN NUMBER LIKE '%/%' THEN RETURN
```



```
string('http://uk.linkedin.com/pub/',NUMBER) ELSE
    RETURN string('http://uk.linkedin.com/in/',NUMBER)
END CASE ELSE
    RETURN NUMBER
END CASE
END
}
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_socialmediaresolve

Last update: **2026/08/07 19:24**

