



pears.TempDeskCustomColumn



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."TempDeskCustomColumn" IS
{CREATE FUNCTION TempDeskCustomColumn(IN DeskID CHAR(20),IN RecordType
CHAR(2),IN RecordID CHAR(20), IN ColNo TinyInt, IN DeptID CHAR(2) DEFAULT
NULL)
RETURNS CHAR(100)
BEGIN
  -- DeskID will be % if Temp Desk selection = All
  -- RecordType P=Person V=Vacancy L=Placement T=Timesheet TP=Provisional
Timesheet
  -- RecordID=null means return column heading for RecordType P, V, L or T,
or null if custom column not wanted
  -- RecordID=personid, vacancyid, placementid, temptimesheetid or
tempprovtimesheetid according to RecordType
  DECLARE "rv" CHAR(100);
  SET "rv" = NULL;
  IF "recordid" IS NULL THEN
    IF "recordtype" = 'V' THEN
      CASE "colno"
        WHEN 1 THEN SET "rv" = ' P0 Ref '
      END CASE
    END IF;
    IF "recordtype" = 'L' THEN
      CASE "colno"
        WHEN 1 THEN SET "rv" = ' P0 Ref '
      END CASE
    END IF;
    IF "recordtype" = 'T' THEN
      CASE "colno"
        WHEN 1 THEN SET "rv" = ' Pay Details '
        WHEN 2 THEN SET "rv" = ' Processing Details '
      END CASE
    END IF;
    RETURN "rv"
  END IF;
  IF "recordtype" = 'V' THEN
```



```
CASE "colno"
  WHEN 1 THEN SELECT FIRST "TheirRef" INTO "rv" FROM "vacancy" WHERE
"vacancyid" = "recordid"
  END CASE
END IF;
IF "recordtype" = 'L' THEN
  CASE "colno"
    WHEN 1 THEN SELECT FIRST "TheirRef" INTO "rv" FROM "Placement" WHERE
"placementid" = "recordid"
    END CASE
  END IF;
  IF "recordtype" = 'TP' THEN
    CASE "colno"
      WHEN 1 THEN SELECT top 1
        IF "taxmethod" > 1 THEN "isnull"((SELECT "companyname" FROM
"pay_employee" KEY JOIN "Person" KEY JOIN "tempprovtimesheet" WHERE
"tempprovtimesheetid" = "recordid"),'CHECK PAYROLL RE TAX') ELSE 'PAYE'
      endif INTO "rv" FROM "pay_employee" KEY JOIN "person" KEY JOIN
"tempprovtimesheet" WHERE "tempprovtimesheetid" = "recordid" ORDER BY 1 DESC
      WHEN 2 THEN(SELECT FIRST "TheirRef" INTO "rv" FROM "tempprovtimesheet"
WHERE "tempprovtimesheetid" = "recordid")
      END CASE
    END IF;
    IF "recordtype" = 'T' THEN
      CASE "colno"
        WHEN 1 THEN SELECT top 1
          IF "temptimesheet"."taxmethod" > 1 THEN "isnull"((SELECT
"companyname" FROM "pay_employee" KEY JOIN "Person" KEY JOIN "temptimesheet"
WHERE "temptimesheetid" = "recordid"),'CHECK PAYROLL RE TAX') ELSE 'PAYE'
        endif INTO "rv" FROM "pay_employee" KEY JOIN "person" KEY JOIN
"temptimesheet" WHERE "temptimesheetid" = "recordid" ORDER BY 1 DESC
        WHEN 2 THEN SET "rv" = "string"('Tr: ',(SELECT FIRST
"isnull"("TransferBatch",0) FROM "temptimesheet" WHERE "temptimesheetid" =
"recordid"),
          ' Inv: ',(SELECT FIRST "OurRef" INTO "rv" FROM "iqacdocument" KEY
JOIN "iqacjournal" AS "j" JOIN "temptimesheetline" AS "TL" ON "j"."xref" =
'T' AND "j"."xrefid" = "TL"."temptimesheetlineid" WHERE
"TL"."temptimesheetid" = "recordid"))
        END CASE
      END IF;
      RETURN "rv"
    END
  }
}
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_tempdeskcustcolumn

Last update: **2026/08/07 19:24**

