



pears.VacancyTempRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."VacancyTempRate" IS
{CREATE FUNCTION VacancyTempRate

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(IN VacID CHAR(20),IN BandID CHAR(20),IN GradeID CHAR(4),IN pFilter1
CHAR(4),IN pFilter2 CHAR(4),IN pFilter3 CHAR(4),IN dFrom DATE,IN dTo DATE)
RETURNS CHAR(20)
BEGIN
    DECLARE rv CHAR(20);
    SET rv=NULL;
    IF TRIM(isnull(vacid,'')) <> '' THEN
        SELECT FIRST r.tempjobrateid INTO rv FROM tempjobrate AS r WHERE
r.vacancyid = vacid AND r.temppaybandid = bandid AND
        TRIM(isnull(r.grade,'')) = TRIM(isnull(gradeid,'')) AND
        TRIM(isnull(r.filter1,'')) = TRIM(isnull(pFilter1,'')) AND
        TRIM(isnull(r.filter2,'')) = TRIM(isnull(pFilter2,'')) AND
        TRIM(isnull(r.filter3,'')) = TRIM(isnull(pFilter3,'')) AND
        isnull(r.startdate,'1900-01-01') <= isnull(dto,CURRENT DATE) AND
isnull(r.enddate,'2200-01-01') >= isnull(dfrom,CURRENT DATE)
    END IF;
    RETURN rv
END
}
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_vacancytemprate

Last update: 2026/08/07 19:24

