



# pears.weekenddate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Original SQL

```
COMMENT TO PRESERVE FORMAT ON PROCEDURE "pears"."weekenddate" IS
{CREATE FUNCTION weekenddate

/* Application Maintained Function / Procedure - DO NOT EDIT*/

(IN pyearno INTEGER,IN pweekno INTEGER)
RETURNS DATE
BEGIN
    DECLARE rv DATE;
    SELECT week1friday INTO rv FROM payrollyear WHERE yearnumber=pyearno;
    IF rv IS NULL THEN
        SELECT week1friday+(numberofweeks*7) INTO rv FROM payrollyear WHERE
yearnumber=pyearno-1
    END IF
    ;
    IF rv IS NOT NULL THEN
        SET rv=rv+((pweekno-1)*7)
    END IF
    ;
    RETURN(rv)
END
}
```

From:  
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:  
[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears\\_weekenddate](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:procedures:pears_weekenddate)

Last update: 2026/08/07 19:24

