



Tables: A



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

- [pears.AccordEmployee](#) - Links Person records to Accord employee records. Used to detect address changes that need to be passed to Accord.
- [pears.AccordExpenseBenefitExport](#) - Expense benefit timesheets for Accord.
- [pears.AccordParams](#) - Accord payroll settings. One row only.
- [pears.ACCORDPAYROLLDEFINITION](#) - Translation between IQX & Accord field names. Used for providing meaningful messages.
- [pears.AccountOverrideInvoiceAddress](#)
- [pears.AdhocInvoiceTemplate](#) - Save As Template button on AdHoc Invoice
- [pears.AdhocInvoiceTemplateLine](#) - Lines for AdHoc Invoice Templates
- [pears.agencydetails](#) - Branch details. A branch usually represents a physical location.
- [pears.AlternativeInvoiceAddressEmail](#)
- [pears.AuditItems](#) - Controls which items are included in auditing.
- [pears.AuditTrail](#) - Contains audit records inserted by system and by audit triggers.
- [pears.AutoMatchDivisionConfig](#) - For use by Auto-matching procedures
- [pears.AutoMatchGlobalConfig](#) - For use by Auto-matching procedures
- [pears.AutoMatchNewTempWeightingConfig](#) - For use by Auto-matching procedures
- [pears.AutoMatchNotificationQueue](#) - For use by Auto-matching procedures
- [pears.AutoMatchOldTempWeightingConfig](#) - For use by Auto-matching procedures
- [pears.AutoMatchPersonConfig](#) - For use by Auto-matching procedures
- [pears.AutoMatchPersonPreferredShiftType](#) - Preferred shift template group
- [pears.AutoMatchShiftQueue](#) - For use by Auto-matching procedures
- [pears.AvailabilityTemplate](#) - User defined availability patterns.
- [pears.AWRcompany](#) - AWR settings for Company records. One-to-one relationship with Company table.
- [pears.AWRJobMaster](#) - Links Person records with Vacancies for AWR purposes.
- [pears.AWRvacancy](#) - AWR settings for Vacancy records. One-to-one relationship with Vacancy table. Overrides AWRCompany.
- [pears.AWRWeekFind](#) - Temporary table. Used during calculation of AWR qualifying periods.
- [pears.AWRWeeklyDetail](#) - Records indicate qualifying / pausing activity etc in given week for AWRJobMaster records.
- [pears.AWRWeeklyQualified](#) - REDUNDANT

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:index_a

Last update: 2026/08/07 19:24



