



Tables: M



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

- [pears.mailerselection](#) - Mailchimp 'LISTS'
- [pears.mailerselectionmember](#) - Candidate/client contacts on mailchimp list.
- [pears.mailmerge](#) - Pointers to OLE documents in Blobstore (class M) which are individual users own Word mail merge templates.
- [pears.MailServer](#) - Mail Server configuration
- [pears.MasterRoster](#) - Header records for each Master Roster
- [pears.MasterRosterChangeLog](#) - Record of changes to a Master Roster.
- [pears.MasterRosterChangeReason](#) - Look-up of allowed change reasons for Master Rosters.
- [pears.MasterRosterFailLog](#) - Records of failure to create or fill shifts from a Master Roster.
- [pears.MasterRosterPreferredPerson](#) - Preferred candidates (with rank) for each Master Roster.
- [pears.MasterRosterShift](#) - Detail records for Master Rosters
- [pears.MasterRosterShiftInstance](#) - Shifts instantiated by the Master Roster. The delete restrict foreign key blocks deletion of MasterRosterShifts once instantiated
- [pears.MIMEMessage](#) - Used in constructing MIME email message.
- [pears.MRShiftID2s](#) - Temp Table - Used by Master Roster Process
- [pears.MRShiftIDs](#) - Temp Table - Used by Master Roster Process

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:index_m

Last update: **2026/08/07 19:24**

