



Tables: T



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

- [pears.tag](#) - User defined field definitions (Questionnaires)
- [pears.tagchoice](#) - Choices for picklist responses to User Defined fields
- [pears.TagCompliance](#) - Used for tag with expiry dates - set sms/email messages
- [pears.TagPersonExpiryStatus](#)
- [pears.tagvalue](#) - Values for user defined fields
- [pears.TempAccordNIReCharge](#) - Used in Invoice (switch dependent) to groups accord requests per document
- [pears.TempAccordNIReChargeLine](#) - Used in Invoice (switch dependent) to groups accord requests per document
- [pears.tempaidcompany](#) - Next time sheet number for each TempAid payroll company.
- [pears.TempCustomJobRate](#) - Temporary table used in Estimating shifts revenue
- [pears.tempdesk](#) - Temp Desk settings.
- [pears.TempdeskAccess](#)
- [pears.TempDeskAgencyPoolMember](#) - Way of linking companies or secondary agency companies with desks.
- [pears.TempdeskAllowed](#)
- [pears.TempHoliday](#) - A way of recording branch holidays - not used
- [pears.TempHolidayScheme](#) - Records making up the TempHolidayPayScheme. Each entry represents a line in the display calculation. Used in conjunction with the dedicated function - TempHolidayCalc()
- [pears.TempInbox](#)
- [pears.TempJobRate](#) - Contains the pay & charge rates for individual vacancies and placements. This is the source of the rates used when a timesheet is created. First any rates for the Placement itself are looked for. If not found then the Vacancy is checked.
- [pears.TempJobRateMaster](#) - Detail line records with rates for each band for Temp Rate Schemes.
- [pears.TempJobType](#) - Header records for Temp Rate Schemes. Detail lines for each constituent band are in TempJobRateMaster.
- [pears.TemplateGroupTemplate](#) - Used in master roster and vacancy limits
- [pears.templatestore](#) - Word document template details. Actual templates are in the BlobStore with Class 'T'.
- [pears.templatestoredivision](#) - Allows template store to be limited by division
- [pears.templatestorestaff](#) - This table stores favourite templates that appear at top of lists
- [pears.TempMatchCandidate](#) - Temporary table used in skill / availability matching
- [pears.TempMatchPlan](#) - Temporary table used in skill / availability matching
- [pears.TempMatchPlanCandidate](#) - Temporary table used in skill / availability matching
- [pears.TempMatchShift](#) - Temporary table used in skill / availability matching
- [pears.TempPayBand](#) - Details of the available pay bands.
- [pears.TempPoolMember](#) - Link between candidates and TempDesks.



- [pears.TempPriceList](#) - Headers for available Price Lists.
- [pears.TempProvTimeSheet](#) - Headers for provisional timesheets.
- [pears.TempProvTimeSheetHistory](#) - History for provisional timesheets.
- [pears.TempProvTimeSheetLine](#) - Detail lines for Provisional timesheets.
- [pears.TempProvTimeSheetShift](#) - Links Shift records to a Provisional Timesheet
- [pears.TempRateMarginAudit](#)
- [pears.TempRateScript](#) - Contains the code of each Rate Script - used to process shifts into rates.
- [pears.TempScriptGenRates](#) - Used during the processing of Rates
- [pears.TempSecAgencyVacRateScheme](#) - Links Seceondary Agency Rate Schemes to Vacancies.
- [pears.TempShift](#) - Individual shift details - once booked / worked / billed / paid etc. Also availability.
- [pears.TempShiftAdd](#) - When shifts are added they are temporary placed here and then when they are finished they are moved back.
- [pears.TempShiftCancelReason](#) - User defined shift cancellation reason with settings for action required.
- [pears.TempShiftCancelReasonDept](#)
- [pears.TempShiftInvoice](#)
- [pears.TempShiftOrderReason](#) - User defined reasons for why shift is requested.
- [pears.TempShiftOrderReasonDepartment](#) - Link between Departments and Shift Order Reasons. Reasons with no record are availabe to all Departments.
- [pears.TempShiftPlan](#) - Shift requirements. Linked to TempShift when booked / worked / billed / paid etc.
- [pears.TempShiftPlanAuthorise](#) - Record of (customer) authorisation of individual TempShiftPlan records.
- [pears.TempShiftProgress](#) - Progress of candidates put forward for TempShiftPlan.
- [pears.TempShiftProgressHistory](#) - History of Progress of candidates put forward for TempShiftPlan.
- [pears.TempShiftTemplate](#) - Definitions of Shift Templates - allowing quick creation of shifts with all necessary timing - grade - skill etc information. Templates remain linked to the created shift.
- [pears.TempShiftTemplateAllowed](#) - Controls whether a particular Shift Template is allowed for an individual Vacancy. If no record for a given Vacancy all Shift Templates for the vacancy Department are allowed.
- [pears.TempShiftType](#) - List of defined shift types. Used in descriptions and rate processing.
- [pears.TempShiftUnavailableReason](#) - User defined list of reasons why candidate is unavailable for a shift. Also link to resultant AWR implication.
- [pears.TempSubsidy](#) - Details of subsidies (advances) paid to temps.
- [pears.TempTimeSheet](#) - Timesheet headers.
- [pears.TempTimeSheetCancellation](#) - Holds records of Timesheet Cancellations - works in conjunction with code in the TempTimesheetCancel and TempTimesheetComplete functions.
- [pears.TempTimeSheetLine](#) - Time sheet detail lines.
- [pears.terminology](#) - non standard
- [pears.TimesheetApprovalLink](#)
- [pears.TimesheetCancelReason](#) - Lookup of user defined reasons why Timesheet cancelled
- [pears.TimesheetSignature](#)
- [pears.TimesheetUnlinkedImage](#)
- [pears.tmp_blob_import](#)
- [pears.TmpNewEmployment](#)
- [pears.Town](#) - List of Towns used to speed address entry



- [pears.Trengo](#)
- [pears.TrengoMessage](#)
- [pears.TrengoParameters](#)
- [pears.TrengoSent](#)
- [pears.TrengoTicket](#)
- [pears.TSImage](#) - Used in the processing of Timesheet Images
- [pears.TSInbox](#) - Used in the processing of Timesheet Images
- [pears.TSQueryHistory](#) - Record of changes to Timesheet Queries
- [pears.TSQueryLog](#) - Timesheet Queries - current state of each Query (log is an inaccurate description)
- [pears.TSQueryReasons](#) - Lookup of Timesheet Query Reasons
- [pears.TTBroadbean](#) - Temporary table. Used to assemble Vacancy details when posting of Vacancies to Broadbean
- [pears.TTBroadbeanBoardsToPostTo](#) - Temporary table. Used to assemble Job Board list during posting of Vacancies to Broadbean

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:index_t

Last update: **2026/08/07 19:24**

