



Tables: W



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

- [pears.WithHoldReason](#)
- [pears.WithHolds](#) - Stores withholds. When a worker is blocked from a vacancy or a company
- [pears.WPKAssignedRole](#) - Link between Staff and WPKRoles.
- [pears.WPKChangeTracker](#) - Gives last ClickCount for each WPKChangeTrackerID - used for detecting need to refresh WPK elements.
- [pears.WPKCustomGridColumn](#) - Woodpecker Custom Column Definitions
- [pears.WPKCustomGridColumnNamedSelection](#) - Woodpecker Custom Column Definitions
- [pears.WPKCustomGridColumnPrivateSelection](#) - Woodpecker Custom Column Definitions
- [pears.WPKForm](#) - Woodpecker Form definitions.
- [pears.WPKGlobalSwitch](#) - Woodpecker Switch definitions.
- [pears.WPKGlobalSwitchAltGroup](#)
- [pears.WPKGlobalSwitchGroup](#) - Groups of Woodpecker Switches.
- [pears.WPKGlobalSwitchSetting](#) - Individual values set for Woodpecker Switches.
- [pears.WPKImage](#) - Images (eg icons) Used by Woodpecker Forms.
- [pears.WPKLayout](#) - Woodpecker Layout definitions.
- [pears.WPKLayoutView](#) - Links Woodpecker Views to Layouts.
- [pears.WPKLayoutViewStaff](#)
- [pears.WPKLookupType](#) - Lookups for WPK types eg ViewItemType etc
- [pears.WPKMultiSelection](#) - Temp Table - used to list records selected on a Woodpecker grid.
- [pears.WPKPickList](#) - Woodpecker centrally defined (and therefore cached and re-suable) pick lists. Defined either by SQL or choices listed in WPKPickListChoice.
- [pears.WPKPickListChoice](#) - Choices for WPKPickList when not defined in SQL.
- [pears.WPKRole](#) - Woodpecker Role definitions.
- [pears.WPKView](#) - Woodpecker View definitions.
- [pears.WPKViewCanSelect](#)
- [pears.WPKViewItem](#) - Woodpecker View Item definitions.

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:index_w

Last update: **2026/08/07 19:24**

