



pears.AccordEmployee



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links Person records to Accord employee records. Used to detect address changes that need to be passed to Accord.

Columns

Column	Type	Null	Default	Comment
PersonID	char(20)	NOT NULL		
PayrollIdentifier	char(1)	NOT NULL		company code
AccordEmployeeCode	char(20)	NOT NULL		payrollnumber
surname	char(30)	NULL		trunc to 25
forenames	char(30)	NULL		
ni	char(15)	NULL		
dob	char(8)	NULL		
sex	char(1)	NULL		
maritalstatus	char(1)	NULL		only S, M and space allowed NOT USED
addr1	char(40)	NULL		
addr2	char(40)	NULL		
addr3	char(40)	NULL		
postcode	char(30)	NULL		
telephone	char(100)	NULL		from phone
mobile	char(100)	NULL		length = 20, telephone 16, email 80
email	char(100)	NULL		
employmentdate	char(8)	NULL		from latest pay_employment
leavingdate	char(8)	NULL		
PayFrequency	smallint	NULL		
PayMethod	smallint	NULL		
BankName	char(30)	NULL		
BankAddr1	char(30)	NULL		51 chars for 1 and 2
BankAddr2	char(30)	NULL		
BankSortCode	char(8)	NULL		
BankAcName	char(50)	NULL		trunc to 18



Column	Type	Null	Default	Comment
BankAcNo	char(20)	NULL		
bankref	char(18)	NULL		
businesstype	char(1)	NULL		
regno	char(20)	NULL		trunc to 10
coname	char(50)	NULL		
vatregno	char(20)	NULL		
CISType	char(1)	NULL		
CISUTR	char(20)	NULL		trunc to 13
CISStart	char(8)	NULL		
CISEnd	char(8)	NULL		
CISVerNo	char(20)	NULL		trunc to 13
EmailPayslips	char(1)	NULL		
TextPaymentAdvice	char(1)	NULL		
DivisionAnalysis	char(6)	NULL		
BranchAnalysis	char(6)	NULL		
StaffAnalysis	char(6)	NULL		
P45Requested	char(1)	NULL		
Title	char(20)	NULL		trunc to 4
TransferBatch	integer	NULL	0	
Appnumber	char(12)	NULL		
Town	char(30)	NULL		
County	char(30)	NULL		

Primary Key

- PersonID, PayrollIdentifier, AccordEmployeeCode

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
AccordEmployee_personid	Index	PersonID	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."AccordEmployee"
-- Table comment: Links Person records to Accord employee records. Used to
detect address changes that need to be passed to Accord.
-- Statement count: 16
```

```
CREATE TABLE "pears"."AccordEmployee" (
    "PersonID" CHAR(20) NOT NULL
    , "PayrollIdentifier" CHAR(1) NOT NULL
    , "AccordEmployeeCode" CHAR(20) NOT NULL
    , "surname" CHAR(30) NULL
    , "forenames" CHAR(30) NULL
    , "ni" CHAR(15) NULL
    , "dob" CHAR(8) NULL
    , "sex" CHAR(1) NULL
    , "maritalstatus" CHAR(1) NULL
    , "addr1" CHAR(40) NULL
    , "addr2" CHAR(40) NULL
    , "addr3" CHAR(40) NULL
    , "postcode" CHAR(30) NULL
    , "telephone" CHAR(100) NULL
    , "mobile" CHAR(100) NULL
    , "email" CHAR(100) NULL
    , "employmentdate" CHAR(8) NULL
    , "leavingdate" CHAR(8) NULL
    , "PayFrequency" SMALLINT NULL
    , "PayMethod" SMALLINT NULL
    , "BankName" CHAR(30) NULL
    , "BankAddr1" CHAR(30) NULL
    , "BankAddr2" CHAR(30) NULL
    , "BankSortCode" CHAR(8) NULL
    , "BankAcName" CHAR(50) NULL
    , "BankAcNo" CHAR(20) NULL
    , "bankref" CHAR(18) NULL
    , "businesstype" CHAR(1) NULL
    , "regno" CHAR(20) NULL
    , "coname" CHAR(50) NULL
    , "vatregno" CHAR(20) NULL
)
```



```
, "CIStype" CHAR(1) NULL
, "CISUTR" CHAR(20) NULL
, "CISStart" CHAR(8) NULL
, "CISEnd" CHAR(8) NULL
, "CISVerNo" CHAR(20) NULL
, "EmailPayslips" CHAR(1) NULL
, "TextPaymentAdvice" CHAR(1) NULL
, "DivisionAnalysis" CHAR(6) NULL
, "BranchAnalysis" CHAR(6) NULL
, "StaffAnalysis" CHAR(6) NULL
, "P45Requested" CHAR(1) NULL
, "Title" CHAR(20) NULL
, "TransferBatch" INTEGER NULL DEFAULT 0
, "Appnumber" CHAR(12) NULL
, "Town" CHAR(30) NULL
, "County" CHAR(30) NULL
, PRIMARY KEY ("PersonID" ASC, "PayrollIdentifier" ASC, "AccordEmployeeCode"
ASC)
)
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."PayrollIdentifier" IS
'company code'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."AccordEmployeeCode" IS
'payrollnumber'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."surname" IS
'trunc to 25'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."maritalstatus" IS
'only S, M and space allowed NOT USED'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."telephone" IS
'from phone'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."mobile" IS
```



```
'length = 20, telephone 16, email 80'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."employmentdate" IS
'from latest pay_employment'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."BankAddr1" IS
'51 chars for 1 and 2'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."BankAcName" IS
'trunc to 18'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."regno" IS
'trunc to 10'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."CISUTR" IS
'trunc to 13'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."CISVerNo" IS
'trunc to 13'
GO

COMMENT ON COLUMN "pears"."AccordEmployee"."Title" IS
'trunc to 4'
GO

COMMENT ON TABLE "pears"."AccordEmployee" IS
'Links Person records to Accord employee records. Used to detect address
changes that need to be passed to Accord.'
GO

CREATE INDEX "AccordEmployee_personid" ON "pears"."AccordEmployee"
( "PersonID" )
```



G0

From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_accordemployee

Last update: **2026/08/07 19:24**

