



pears.AccordExpenseBenefitExport



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Expense benefit timesheets for Accord.

Columns

Column	Type	Null	Default	Comment
TempTimeSheetID	char(20)	NOT NULL		
PersonID	char(20)	NULL		
Admin_Value	numeric(9,2)	NULL		
Travel_Value	numeric(9,2)	NULL		
Expense_4_Value	numeric(9,2)	NULL		
Period	integer	NULL		
Original_TimeSheet_Number	char(13)	NULL		
Subsistence_Value	numeric(9,2)	NULL		
Expense_3_Value	numeric(9,2)	NULL		

Primary Key

- TempTimeSheetID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."AccordExpenseBenefitExport"
-- Table comment: Expense benefit timesheets for Accord.
-- Statement count: 2

CREATE TABLE "pears"."AccordExpenseBenefitExport" (
    "TempTimeSheetID"          CHAR(20) NOT NULL
    , "PersonID"                CHAR(20) NULL
    , "Admin_Value"             NUMERIC(9,2) NULL
    , "Travel_Value"           NUMERIC(9,2) NULL
    , "Expense_4_Value"         NUMERIC(9,2) NULL
    , "Period"                  INTEGER NULL
    , "Original_TimeSheet_Number" CHAR(13) NULL
    , "Subsistence_Value"       NUMERIC(9,2) NULL
    , "Expense_3_Value"         NUMERIC(9,2) NULL
    , PRIMARY KEY ("TempTimeSheetID" ASC)
)
GO

COMMENT ON TABLE "pears"."AccordExpenseBenefitExport" IS
    'Expense benefit timesheets for Accord.'
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_accordexpensebenefitexport

Last update: 2026/08/07 19:24

