



pears.AdhocInvoiceTemplateLine



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Lines for AdHoc Invoice Templates

Columns

Column	Type	Null	Default	Comment
AdhocInvoiceTemplateLineID	char(20)	NOT NULL		
AdhocInvoiceTemplateID	char(20)	NULL		
Nominal	char(12)	NULL		
Description	long varchar	NULL		
VATCode	char(3)	NULL		
Amount	double	NULL		
LineNumber	smallint	NULL		

Primary Key

- AdhocInvoiceTemplateLineID

Foreign Keys

Constraint	Columns	References	Delete/update action
AdhocInvoiceTemplate	AdhocInvoiceTemplateID	pears.AdhocInvoiceTemplate (AdhocInvoiceTemplateID)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."AdhocInvoiceTemplateLine"
-- Table comment: Lines for AdHoc Invoice Templates
-- Statement count: 3

CREATE TABLE "pears"."AdhocInvoiceTemplateLine" (
    "AdhocInvoiceTemplateLineID"    CHAR(20) NOT NULL
    , "AdhocInvoiceTemplateID"      CHAR(20) NULL
    , "Nominal"                     CHAR(12) NULL
    , "Description"                 long VARCHAR NULL
    , "VATCode"                     CHAR(3) NULL
    , "Amount"                      DOUBLE NULL
    , "LineNumber"                  SMALLINT NULL
    , PRIMARY KEY ("AdhocInvoiceTemplateLineID" ASC)
)
GO

COMMENT ON TABLE "pears"."AdhocInvoiceTemplateLine" IS
    'Lines for AdHoc Invoice Templates'
GO

ALTER TABLE "pears"."AdhocInvoiceTemplateLine"
    ADD FOREIGN KEY "AdhocInvoiceTemplate" ("AdhocInvoiceTemplateID" ASC)
    REFERENCES "pears"."AdhocInvoiceTemplate" ("AdhocInvoiceTemplateID")
    ON DELETE CASCADE
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_adhocinvoicetemplateline

Last update: **2026/08/07 19:24**

