



pears.AutoMatchDivisionConfig



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

For use by Auto-matching procedures

Columns

Column	Type	Null	Default	Comment
AutoMatchDivisionConfigID	char(20)	NOT NULL		
DivisionID	char(20)	NULL		
LeadTime	integer	NOT NULL		in hours
EscalationDelay	integer	NOT NULL		in mins
Email	tinyint	NULL		ContactMethod
SMS	tinyint	NULL		ContactMethod
Push	tinyint	NULL		ContactMethod
QtyWorkers	integer	NULL		
PercentNew	integer	NOT NULL		0 - 100
Urgency	smallint	NULL		null means all

Primary Key

- AutoMatchDivisionConfigID

Foreign Keys

Constraint	Columns	References	Delete/update action
division	DivisionID	pears.Division (divisionid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."AutoMatchDivisionConfig"
-- Table comment: For use by Auto-matching procedures
-- Statement count: 10

CREATE TABLE "pears"."AutoMatchDivisionConfig" (
    "AutoMatchDivisionConfigID"    CHAR(20) NOT NULL
    , "DivisionID"                  CHAR(20) NULL
    , "LeadTime"                    INTEGER NOT NULL
    , "EscalationDelay"             INTEGER NOT NULL
    , "Email"                      tinyint NULL
    , "SMS"                        tinyint NULL
    , "Push"                      tinyint NULL
    , "QtyWorkers"                 INTEGER NULL
    , "PercentNew"                 INTEGER NOT NULL
    , "Urgency"                    SMALLINT NULL
    , PRIMARY KEY ("AutoMatchDivisionConfigID" ASC)
)
GO

COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."LeadTime" IS
    'in hours'
GO

COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."EscalationDelay" IS
    'in mins'
GO

COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."Email" IS
    'ContactMethod'
```



GO

```
COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."SMS" IS  
    'ContactMethod'
```

GO

```
COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."Push" IS  
    'ContactMethod'
```

GO

```
COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."PercentNew" IS  
    '0 - 100'
```

GO

```
COMMENT ON COLUMN "pears"."AutoMatchDivisionConfig"."Urgency" IS  
    'null means all'
```

GO

```
COMMENT ON TABLE "pears"."AutoMatchDivisionConfig" IS  
    'For use by Auto-matching procedures'
```

GO

```
ALTER TABLE "pears"."AutoMatchDivisionConfig"  
    ADD FOREIGN KEY "division" ("DivisionID" ASC)  
    REFERENCES "pears"."Division" ("divisionid")  
    ON DELETE CASCADE
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_automatchdivisionconfig

Last update: **2026/08/07 19:24**

