



pears.BatchTransfers



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Records of transfer jobs etc. Maintained by the individual processes.

Columns

Column	Type	Null	Default	Comment
BatchType	char(12)	NOT NULL		Include T if timesheets might be in batch
BatchNumber	integer	NOT NULL		
TransferTime	timestamp	NOT NULL		
Note	long varchar	NULL		

Primary Key

- BatchType, BatchNumber

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
BatchTransfers_Number	Index	BatchNumber	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."BatchTransfers"
-- Table comment: Records of transfer jobs etc. Maintained by the individual
-- processes.
-- Statement count: 4

CREATE TABLE "pears"."BatchTransfers" (
    "BatchType"                CHAR(12) NOT NULL
    ,"BatchNumber"              INTEGER NOT NULL
    ,"TransferTime"             TIMESTAMP NOT NULL
    ,"Note"                     long VARCHAR NULL
    ,PRIMARY KEY ("BatchType" ASC,"BatchNumber" ASC)
)
GO

COMMENT ON COLUMN "pears"."BatchTransfers"."BatchType" IS
    'Include T if timesheets might be in batch'
GO

COMMENT ON TABLE "pears"."BatchTransfers" IS
    'Records of transfer jobs etc. Maintained by the individual processes.'
GO

CREATE INDEX "BatchTransfers_Number" ON "pears"."BatchTransfers"
    ( "BatchNumber" )
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_batchtransfers

Last update: **2026/08/07 19:24**



