



pears.BroadbeanUser



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Broadbean user login details

Columns

Column	Type	Null	Default	Comment
StaffID	char(20)	NOT NULL		
UserName	char(100)	NOT NULL		
Password	char(100)	NOT NULL		
ApiKey	char(60)	NULL		
ContactTelephone	char(30)	NULL		
ContactAddress	char(250)	NULL		
ContactName	char(60)	NULL		
ContactEmail	char(100)	NULL		
Token	char(100)	NULL		

Primary Key

- StaffID

Foreign Keys

Constraint	Columns	References	Delete/update action
staff	StaffID	pears.staff (staffid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."BroadbeanUser"
-- Table comment: Broadbean user login details
-- Statement count: 3

CREATE TABLE "pears"."BroadbeanUser" (
    "StaffID" CHAR(20) NOT NULL
  , "UserName" CHAR(100) NOT NULL
  , "Password" CHAR(100) NOT NULL
  , "ApiKey" CHAR(60) NULL
  , "ContactTelephone" CHAR(30) NULL
  , "ContactAddress" CHAR(250) NULL
  , "ContactName" CHAR(60) NULL
  , "ContactEmail" CHAR(100) NULL
  , "Token" CHAR(100) NULL
  , PRIMARY KEY ("StaffID" ASC)
)
GO

COMMENT ON TABLE "pears"."BroadbeanUser" IS
    'Broadbean user login details'
GO

ALTER TABLE "pears"."BroadbeanUser"
    ADD NOT NULL FOREIGN KEY "staff" ("StaffID" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE CASCADE
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_broadbeanuser

Last update: **2026/08/07 19:24**

