



pears.ChatMessage



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links to staff

Columns

Column	Type	Null	Default	Comment
ChatID	char(20)	NOT NULL		
ChatDate	timestamp	NOT NULL		
WhoID	char(20)	NOT NULL		
WhoType	char(1)	NOT NULL		N=IQXUser S=IQX Consultant
ChatMessage	char(255)	NULL		

Primary Key

- ChatID, ChatDate, WhoID, WhoType

Foreign Keys

Constraint	Columns	References	Delete/update action
Chat	ChatID	pears.Chat (ChatID)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."ChatMessage"
-- Table comment: Links to staff
-- Statement count: 4

CREATE TABLE "pears"."ChatMessage" (
    "ChatID"                CHAR(20) NOT NULL
    , "ChatDate"             TIMESTAMP NOT NULL
    , "WhoID"                CHAR(20) NOT NULL
    , "WhoType"              CHAR(1) NOT NULL
    , "ChatMessage"          CHAR(255) NULL
    , PRIMARY KEY ("ChatID" ASC, "ChatDate" ASC, "WhoID" ASC, "WhoType" ASC)
)
GO

COMMENT ON COLUMN "pears"."ChatMessage"."WhoType" IS
    'N=IQXUser S=IQX Consultant'
GO

COMMENT ON TABLE "pears"."ChatMessage" IS
    'Links to staff'
GO

ALTER TABLE "pears"."ChatMessage"
    ADD NOT NULL FOREIGN KEY "Chat" ("ChatID" ASC)
    REFERENCES "pears"."Chat" ("ChatID")
    ON DELETE CASCADE
GO
```



2026/08/07 22:47

3/3

pears.ChatMessage

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_chatmessage



Last update: **2026/08/07 19:24**