



pears.CISCard



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Construction Industry Scheme Contractor details

Columns

Column	Type	Null	Default	Comment
Deleted	smallint	NOT NULL	0	
TransferBatch	integer	NULL		
DeletedTransferBatch	integer	NULL		
StartDate	date	NOT NULL		
EndDate	date	NULL		
CISCardID	char(20)	NOT NULL		
PersonID	char(20)	NOT NULL		
CertificateNumber	char(13)	NOT NULL		
CISType	char(10)	NOT NULL		
ActingFor	char(26)	NOT NULL		
AuthUser	char(16)	NOT NULL		
CreatedBy	char(20)	NULL		
DeletedBy	char(20)	NULL		
WhenEntered	timestamp	NOT NULL		
WhenDeleted	timestamp	NULL		

Primary Key

- CISCardID

Foreign Keys

Constraint	Columns	References	Delete/update action
Person	PersonID	pears.Person (personid)	NOT NULL; ON DELETE CASCADE
CreatedByStaff	CreatedBy	pears.staff (staffid)	ON DELETE SET NULL



Constraint	Columns	References	Delete/update action
DeletedByStaff	DeletedBy	pears.staff (staffid)	ON DELETE SET NULL

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
CISTransfer	Index	TransferBatch	
CISCardDeletion	Index	DeletedTransferBatch	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CISCard"
-- Table comment: Construction Industry Scheme Contractor details
-- Statement count: 7
```

```
CREATE TABLE "pears"."CISCard" (
  "Deleted" SMALLINT NOT NULL DEFAULT 0
  , "TransferBatch" INTEGER NULL
  , "DeletedTransferBatch" INTEGER NULL
  , "StartDate" DATE NOT NULL
  , "EndDate" DATE NULL
  , "CISCardID" CHAR(20) NOT NULL
  , "PersonID" CHAR(20) NOT NULL
  , "CertificateNumber" CHAR(13) NOT NULL
  , "CISType" CHAR(10) NOT NULL
  , "ActingFor" CHAR(26) NOT NULL
  , "AuthUser" CHAR(16) NOT NULL
  , "CreatedBy" CHAR(20) NULL
  , "DeletedBy" CHAR(20) NULL
  , "WhenEntered" TIMESTAMP NOT NULL
  , "WhenDeleted" TIMESTAMP NULL
  , PRIMARY KEY ("CISCardID" ASC)
)
```



GO

```
COMMENT ON TABLE "pears"."CISCard" IS  
    'Construction Industry Scheme Contractor details'
```

GO

```
ALTER TABLE "pears"."CISCard"  
    ADD NOT NULL FOREIGN KEY "Person" ("PersonID" ASC)  
    REFERENCES "pears"."Person" ("personid")  
    ON DELETE CASCADE
```

GO

```
ALTER TABLE "pears"."CISCard"  
    ADD FOREIGN KEY "CreatedByStaff" ("CreatedBy" ASC)  
    REFERENCES "pears"."staff" ("staffid")  
    ON DELETE SET NULL
```

GO

```
ALTER TABLE "pears"."CISCard"  
    ADD FOREIGN KEY "DeletedByStaff" ("DeletedBy" ASC)  
    REFERENCES "pears"."staff" ("staffid")  
    ON DELETE SET NULL
```

GO

```
CREATE INDEX "CISTransfer" ON "pears"."CISCard"  
    ( "TransferBatch" )
```

GO

```
CREATE INDEX "CISCardDeletion" ON "pears"."CISCard"  
    ( "DeletedTransferBatch" )
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_ciscard

Last update: **2026/08/07 19:24**

