



pears.CollectionChat



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
CollectionChatID	char(20)	NOT NULL		
CollectionID	char(20)	NOT NULL		
Staffid	char(20)	NOT NULL		
ChatDate	timestamp	NULL		
ChatMessage	long varchar	NULL		

Primary Key

- CollectionChatID

Foreign Keys

Constraint	Columns	References	Delete/update action
Collection	CollectionID	pears.Collection (CollectionID)	NOT NULL; ON DELETE CASCADE
Staff	Staffid	pears.staff (staffid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
CollectionChatDate	Index	CollectionID, ChatDate	

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CollectionChat"
-- Table comment:
-- Statement count: 4

CREATE TABLE "pears"."CollectionChat" (
    "CollectionChatID"          CHAR(20) NOT NULL
    , "CollectionID"             CHAR(20) NOT NULL
    , "Staffid"                  CHAR(20) NOT NULL
    , "ChatDate"                 TIMESTAMP NULL
    , "ChatMessage"              long VARCHAR NULL
    , PRIMARY KEY ("CollectionChatID" ASC)
)
GO

ALTER TABLE "pears"."CollectionChat"
    ADD NOT NULL FOREIGN KEY "Collection" ("CollectionID" ASC)
    REFERENCES "pears"."Collection" ("CollectionID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."CollectionChat"
    ADD NOT NULL FOREIGN KEY "Staff" ("Staffid" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE CASCADE
GO

CREATE INDEX "CollectionChatDate" ON "pears"."CollectionChat"
    ( "CollectionID", "ChatDate" )
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_collectionchat

Last update: 2026/08/07 19:24

