



pears.CompanySDS



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
CompanySDSID	char(20)	NOT NULL		
CompanyID	char(20)	NULL		
PersonID	char(20)	NULL		
IR35Status	smallint	NOT NULL		0 outside 1 inside
EmploymentID	char(20)	NULL		Who passed the SDS
Reason	long varchar	NULL		
WhenEntered	timestamp	NULL	current timestamp	
WhoEntered	char(20)	NULL		

Primary Key

- CompanySDSID

Foreign Keys

Constraint	Columns	References	Delete/update action
company	CompanyID	pears.Company (companyid)	ON DELETE CASCADE
person	PersonID	pears.Person (personid)	ON DELETE CASCADE
employment	EmploymentID	pears.employment (employmentid)	ON DELETE SET NULL

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CompanySDS"
-- Table comment:
-- Statement count: 6

CREATE TABLE "pears"."CompanySDS" (
    "CompanySDSID"          CHAR(20) NOT NULL
    , "CompanyID"            CHAR(20)  NULL
    , "PersonID"             CHAR(20)  NULL
    , "IR35Status"           SMALLINT NOT NULL
    , "EmploymentID"         CHAR(20)  NULL
    , "Reason"               long VARCHAR NULL
    , "WhenEntered"          TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
    , "WhoEntered"           CHAR(20)  NULL
    , PRIMARY KEY ("CompanySDSID" ASC)
)
GO

COMMENT ON COLUMN "pears"."CompanySDS"."IR35Status" IS
    '0 outside 1 inside'
GO

COMMENT ON COLUMN "pears"."CompanySDS"."EmploymentID" IS
    'Who passed the SDS'
GO

ALTER TABLE "pears"."CompanySDS"
    ADD FOREIGN KEY "company" ("CompanyID" ASC)
    REFERENCES "pears"."Company" ("companyid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."CompanySDS"
```



```
ADD FOREIGN KEY "person" ("PersonID" ASC)
REFERENCES "pears"."Person" ("personid")
ON DELETE CASCADE
```

GO

```
ALTER TABLE "pears"."CompanySDS"
ADD FOREIGN KEY "employment" ("EmploymentID" ASC)
REFERENCES "pears"."employment" ("employmentid")
ON DELETE SET NULL
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_companylds

Last update: **2026/08/07 19:24**

