



pears.CompanyStatus



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Look-up of company statuses (both inbuilt and user defined)

Columns

Column	Type	Null	Default	Comment
CompanyStatusID	char(1)	NOT NULL		
Name	char(40)	NOT NULL		
Help	char(40)	NULL		
IsFixed	smallint	NULL	0	
Sortorder	integer	NULL		
GridSortorder	integer	NULL		
BackgroundColour	integer	NULL	16777215	
FontColour	integer	NULL	0	
OverrideFormColour	tinyint	NULL	0	

Primary Key

- CompanyStatusID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.Company	companystatus	status	CompanyStatusID



Indexes

- No indexes found.

Triggers

Name	Timing	Event
WPK_companystatus_COMPANYSTATUS	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CompanyStatus"
-- Table comment: Look-up of company statuses (both inbuilt and user
defined)
-- Statement count: 4

CREATE TABLE "pears"."CompanyStatus" (
    "CompanyStatusID"          CHAR(1) NOT NULL
    , "Name"                   CHAR(40) NOT NULL
    , "Help"                   CHAR(40) NULL
    , "IsFixed"                SMALLINT NULL DEFAULT 0
    , "Sortorder"              INTEGER NULL
    , "GridSortorder"          INTEGER NULL
    , "BackgroundColour"       INTEGER NULL DEFAULT 16777215
    , "FontColour"             INTEGER NULL DEFAULT 0
    , "OverrideFormColour"     tinyint NULL DEFAULT 0
    , PRIMARY KEY ("CompanyStatusID" ASC)
)
GO

COMMENT ON TABLE "pears"."CompanyStatus" IS
    'Look-up of company statuses (both inbuilt and user defined)'
GO

CREATE TRIGGER "WPK_companystatus_COMPANYSTATUS" after INSERT,DELETE,UPDATE
ORDER 1 ON
"pears"."companystatus"
FOR each statement
BEGIN
    CALL "WPKTrackChange" ( 'P' , 'COMPANYSTATUS' )
END
```



GO

```
COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."CompanyStatus"."WPK_companystatus_COMPANYSTATUS" IS
{CREATE TRIGGER WPK_companystatus_COMPANYSTATUS
  after INSERT,DELETE,UPDATE ORDER 1 ON
companystatus
FOR each statement
BEGIN
  CALL WPKTrackChange('P','COMPANYSTATUS')
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_companystatus

Last update: **2026/08/07 19:24**

