



pears.ComplianceDomainTag



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Tags used in Compliance Domains

Columns

Column	Type	Null	Default	Comment
ComplianceDomainID	char(20)	NOT NULL		
TagLocation	char(2)	NOT NULL		P for Person questionnaire, A% for Departmental
TagID	char(3)	NOT NULL		
TagChoiceID	char(4)	NOT NULL	'N/A'	N/A signifies any or not applicable. Cannot be null because of pk.
Behaviour	tinyint	NOT NULL	1	1=required 2=warning 3=score only
Score	smallint	NOT NULL	1	
MinValue	double	NOT NULL	1	For numerics, scored and graded choices
SortOrder	smallint	NULL		

Primary Key

- ComplianceDomainID, TagLocation, TagID, TagChoiceID

Foreign Keys

Constraint	Columns	References	Delete/update action
ComplianceDomain	ComplianceDomainID	pears.ComplianceDomain (ComplianceDomainID)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."ComplianceDomainTag"
-- Table comment: Tags used in Compliance Domains
-- Statement count: 7

CREATE TABLE "pears"."ComplianceDomainTag" (
    "ComplianceDomainID"          CHAR(20) NOT NULL
    , "TagLocation"                CHAR(2)  NOT NULL
    , "TagID"                     CHAR(3)  NOT NULL
    , "TagChoiceID"               CHAR(4)  NOT NULL DEFAULT 'N/A'
    , "Behaviour"                 tinyint NOT NULL DEFAULT 1
    , "Score"                     SMALLINT NOT NULL DEFAULT 1
    , "MinValue"                  DOUBLE  NOT NULL DEFAULT 1
    , "SortOrder"                 SMALLINT NULL
    , PRIMARY KEY ("ComplianceDomainID" ASC, "TagLocation" ASC, "TagID"
ASC, "TagChoiceID" ASC)
)
GO

COMMENT ON COLUMN "pears"."ComplianceDomainTag"."TagLocation" IS
    'P for Person questionnaire, A% for Departmental'
GO

COMMENT ON COLUMN "pears"."ComplianceDomainTag"."TagChoiceID" IS
    'N/A signifies any or not applicable. Cannot be null because of pk.'
GO

COMMENT ON COLUMN "pears"."ComplianceDomainTag"."Behaviour" IS
    '1=required 2=warning 3=score only'
GO
```



```
COMMENT ON COLUMN "pears"."ComplianceDomainTag"."MinValue" IS  
    'For numerics, scored and graded choices'  
GO
```

```
COMMENT ON TABLE "pears"."ComplianceDomainTag" IS  
    'Tags used in Compliance Domains'  
GO
```

```
ALTER TABLE "pears"."ComplianceDomainTag"  
    ADD NOT NULL FOREIGN KEY "ComplianceDomain" ("ComplianceDomainID" ASC)  
    REFERENCES "pears"."ComplianceDomain" ("ComplianceDomainID")  
    ON DELETE CASCADE  
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_compliancedomaintag

Last update: **2026/08/07 19:24**

