



pears.CompliancePersonDomain



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Linkage between Domains so several can apply

Columns

Column	Type	Null	Default	Comment
ComplianceDomainID	char(20)	NOT NULL		
PersonID	char(20)	NOT NULL		

Primary Key

- ComplianceDomainID, PersonID

Foreign Keys

Constraint	Columns	References	Delete/update action
ComplianceDomain	ComplianceDomainID	pears.ComplianceDomain (ComplianceDomainID)	NOT NULL; ON DELETE CASCADE
Person	PersonID	pears.Person (personid)	NOT NULL; ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CompliancePersonDomain"
-- Table comment: Linkage between Domains so several can apply
-- Statement count: 4

CREATE TABLE "pears"."CompliancePersonDomain" (
    "ComplianceDomainID"          CHAR(20) NOT NULL
    ,"PersonID"                    CHAR(20) NOT NULL
    ,PRIMARY KEY ("ComplianceDomainID" ASC,"PersonID" ASC)
)
GO

COMMENT ON TABLE "pears"."CompliancePersonDomain" IS
    'Linkage between Domains so several can apply'
GO

ALTER TABLE "pears"."CompliancePersonDomain"
    ADD NOT NULL FOREIGN KEY "ComplianceDomain" ("ComplianceDomainID" ASC)
    REFERENCES "pears"."ComplianceDomain" ("ComplianceDomainID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."CompliancePersonDomain"
    ADD NOT NULL FOREIGN KEY "Person" ("PersonID" ASC)
    REFERENCES "pears"."Person" ("personid")
    ON DELETE CASCADE
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_compliancepersondomain

Last update: 2026/08/07 19:24



