



pears.CompliancePersonStatus



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
PersonID	char(20)	NOT NULL		
TempDeskID	char(20)	NOT NULL		Used for removing previous fetch and might contain % so no referential integrity
Description	long varchar	NULL		
Status	tinyint	NULL		1=fail 2=warning 0=ok
Percentage	double	NULL		
WarningDescription	long varchar	NULL		
ErrorDescription	long varchar	NULL		

Primary Key

- PersonID, TempDeskID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
CompliancePSDesk	Index	TempDeskID	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CompliancePersonStatus"
-- Table comment:
-- Statement count: 4

CREATE GLOBAL TEMPORARY TABLE "pears"."CompliancePersonStatus" (
    "PersonID"                CHAR(20) NOT NULL
    , "TempDeskID"             CHAR(20) NOT NULL
    , "Description"             long VARCHAR NULL
    , "Status"                  tinyint NULL
    , "Percentage"              DOUBLE NULL
    , "WarningDescription"      long VARCHAR NULL
    , "ErrorDescription"        long VARCHAR NULL
    , PRIMARY KEY ("PersonID" ASC, "TempDeskID" ASC)
) ON COMMIT PRESERVE ROWS
GO

COMMENT ON COLUMN "pears"."CompliancePersonStatus"."TempDeskID" IS
    'Used for removing previous fetch and might contain % so no referential
    integrity'
GO

COMMENT ON COLUMN "pears"."CompliancePersonStatus"."Status" IS
    '1=fail 2=warning 0=ok'
GO

CREATE INDEX "CompliancePSDesk" ON "pears"."CompliancePersonStatus"
    ( "TempDeskID" )
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_compliancepersonstatus

Last update: **2026/08/07 19:24**

