



pears.CompositeTmp



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Temp Table - used by interface when working with Composite Payroll Companies.

Columns

Column	Type	Null	Default	Comment
Compositeld	char(20)	NOT NULL		
CompositePayCoReference	char(60)	NULL		
VATNumber	char(20)	NULL		
RegNo	char(20)	NULL		
CompanyName	char(50)	NULL		
BankRef	char(20)	NULL		
BankAcNo	char(15)	NULL		
BankAcName	char(50)	NULL		
BankSortCode	char(8)	NULL		
BankName	char(30)	NULL		
TemplateName	char(30)	NULL		
PayrollAddress	long varchar	NULL		
VATRegistered	tinyint	NULL	0	
TaxMethod	tinyint	NULL		
PayFrequency	tinyint	NULL		
FlagPayMethod	tinyint	NULL	0	
FlagPayrollAddress	tinyint	NULL	0	
FlagPayCoReference	tinyint	NULL	0	
FlagVATNumber	tinyint	NULL	0	
FlagVATRegistered	tinyint	NULL	0	
FlagRegNo	tinyint	NULL	0	
FlagCompanyName	tinyint	NULL	0	
FlagTaxMethod	tinyint	NULL	0	
FlagPayFrequency	tinyint	NULL	0	
FlagBankRef	tinyint	NULL	0	
FlagBankAcNo	tinyint	NULL	0	



Column	Type	Null	Default	Comment
FlagBankAcName	tinyint	NULL	0	
FlagBankSortCode	tinyint	NULL	0	
FlagBankName	tinyint	NULL	0	
PayMethod	tinyint	NULL		
FlagIBAN	tinyint	NULL		
IBAN	char(34)	NULL		
FlagSWIFTBIC	tinyint	NULL		
SWIFTBIC	char(11)	NULL		
DirectlyEmployed	tinyint	NULL		
FlagDirectlyEmployed	tinyint	NULL	0	
FlagPayDistribution	tinyint	NULL		
PayDistribution	char(4)	NULL		
HMRCEngagementDetail	char(1)	NULL		
PayrollAddr1	char(40)	NULL		
PayrollAddr2	char(40)	NULL		
PayrollAddr3	char(40)	NULL		
PayrollAddr4	char(40)	NULL		
PayrollPostcode	char(30)	NULL		
SupplierCode	char(12)	NULL		Self bill account for umbrella etc.
FlagSupplierCode	tinyint	NULL	0	
EmailAddress	char(250)	NULL		
FlagEmailAddress	tinyint	NULL	0	

Primary Key

- CompositeId

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CompositeTmp"
-- Table comment: Temp Table - used by interface when working with Composite
Payroll Companies.
-- Statement count: 3
```

```
CREATE GLOBAL TEMPORARY TABLE "pears"."CompositeTmp" (
  "CompositeId"          CHAR(20) NOT NULL
, "CompositePayCoReference" CHAR(60) NULL
, "VATNumber"           CHAR(20) NULL
, "RegNo"               CHAR(20) NULL
, "CompanyName"         CHAR(50) NULL
, "BankRef"             CHAR(20) NULL
, "BankAcNo"            CHAR(15) NULL
, "BankAcName"          CHAR(50) NULL
, "BankSortCode"        CHAR(8) NULL
, "BankName"            CHAR(30) NULL
, "TemplateName"        CHAR(30) NULL
, "PayrollAddress"       long VARCHAR NULL
, "VATRegistered"        tinyint NULL DEFAULT 0
, "TaxMethod"            tinyint NULL
, "PayFrequency"         tinyint NULL
, "FlagPayMethod"        tinyint NULL DEFAULT 0
, "FlagPayrollAddress"   tinyint NULL DEFAULT 0
, "FlagPayCoReference"   tinyint NULL DEFAULT 0
, "FlagVATNumber"        tinyint NULL DEFAULT 0
, "FlagVATRegistered"    tinyint NULL DEFAULT 0
, "FlagRegNo"            tinyint NULL DEFAULT 0
, "FlagCompanyName"      tinyint NULL DEFAULT 0
, "FlagTaxMethod"        tinyint NULL DEFAULT 0
, "FlagPayFrequency"     tinyint NULL DEFAULT 0
, "FlagBankRef"          tinyint NULL DEFAULT 0
, "FlagBankAcNo"         tinyint NULL DEFAULT 0
, "FlagBankAcName"       tinyint NULL DEFAULT 0
, "FlagBankSortCode"     tinyint NULL DEFAULT 0
, "FlagBankName"         tinyint NULL DEFAULT 0
, "PayMethod"            tinyint NULL
, "FlagIBAN"             tinyint NULL
```



```
, "IBAN" CHAR(34) NULL
, "FlagSWIFTBIC" tinyint NULL
, "SWIFTBIC" CHAR(11) NULL
, "DirectlyEmployed" tinyint NULL
, "FlagDirectlyEmployed" tinyint NULL DEFAULT 0
, "FlagPayDistribution" tinyint NULL
, "PayDistribution" CHAR(4) NULL
, "HMRCEngagementDetail" CHAR(1) NULL
, "PayrollAddr1" CHAR(40) NULL
, "PayrollAddr2" CHAR(40) NULL
, "PayrollAddr3" CHAR(40) NULL
, "PayrollAddr4" CHAR(40) NULL
, "PayrollPostcode" CHAR(30) NULL
, "SupplierCode" CHAR(12) NULL
, "FlagSupplierCode" tinyint NULL DEFAULT 0
, "EmailAddress" CHAR(250) NULL
, "FlagEmailAddress" tinyint NULL DEFAULT 0
, PRIMARY KEY ("CompositeId" ASC)
) ON COMMIT PRESERVE ROWS
GO

COMMENT ON COLUMN "pears"."CompositeTmp"."SupplierCode" IS
'Self bill account for umbrella etc.'
GO

COMMENT ON TABLE "pears"."CompositeTmp" IS
'Temp Table - used by interface when working with Composite Payroll
Companies.'
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_compositetmp

Last update: 2026/08/07 19:24

