



pears.ConfigLog



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Manually recorded changes to configuration.

Columns

Column	Type	Null	Default	Comment
ConfigLogID	char(20)	NOT NULL		
Userid	char(25)	NULL		
Description	long varchar	NULL		
WhenEntered	timestamp	NULL	current timestamp	

Primary Key

- ConfigLogID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."ConfigLog"
-- Table comment: Manually recorded changes to configuration.
-- Statement count: 2

CREATE TABLE "pears"."ConfigLog" (
    "ConfigLogID"          CHAR(20) NOT NULL
    , "Userid"              CHAR(25) NULL
    , "Description"         long VARCHAR NULL
    , "WhenEntered"         TIMESTAMP NULL DEFAULT CURRENT
TIMESTAMP
    , PRIMARY KEY ("ConfigLogID" ASC)
)
GO

COMMENT ON TABLE "pears"."ConfigLog" IS
    'Manually recorded changes to configuration.'
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_configlog

Last update: **2026/08/07 19:24**

