



pears.ContactEventSpeciality



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

List of Divisions (?)

Columns

Column	Type	Null	Default	Comment
ContactEventSpecialityID	char(20)	NOT NULL		
Name	char(50)	NOT NULL		
DivisionID	char(20)	NULL		
SortOrder	smallint	NULL		

Primary Key

- ContactEventSpecialityID

Foreign Keys

Constraint	Columns	References	Delete/update action
division	DivisionID	pears.Division (divisionid)	ON DELETE SET NULL

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
ContactEventSpeciality_sortorder	Index	DivisionID, SortOrder, Name	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."ContactEventSpeciality"
-- Table comment: List of Divisions (?)
-- Statement count: 4

CREATE TABLE "pears"."ContactEventSpeciality" (
    "ContactEventSpecialityID"      CHAR(20) NOT NULL
    , "Name"                        CHAR(50) NOT NULL
    , "DivisionID"                  CHAR(20) NULL
    , "SortOrder"                   SMALLINT NULL
    , PRIMARY KEY ("ContactEventSpecialityID" ASC)
)
GO

COMMENT ON TABLE "pears"."ContactEventSpeciality" IS
    'List of Divisions (?)'
GO

ALTER TABLE "pears"."ContactEventSpeciality"
    ADD FOREIGN KEY "division" ("DivisionID" ASC)
    REFERENCES "pears"."Division" ("divisionid")
    ON DELETE SET NULL
GO

CREATE INDEX "ContactEventSpeciality_sortorder" ON
"pears"."ContactEventSpeciality"
    ( "DivisionID", "SortOrder", "Name" )
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_contacteventspeciality



Last update: **2026/08/07 19:24**