



pears.Country



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

List of Countries used to speed address entry

Columns

Column	Type	Null	Default	Comment
CountryID	char(20)	NOT NULL		
Name	char(30)	NOT NULL		
AgencyID	char(20)	NULL		
SortOrder	smallint	NULL		

Primary Key

- CountryID

Foreign Keys

Constraint	Columns	References	Delete/update action
AgencyDetails	AgencyID	pears.agencydetails (agencyid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

Name	Timing	Event
WPK_country_COUNTRY	after	insert,delete,update order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."Country"
-- Table comment: List of Countries used to speed address entry
-- Statement count: 5

CREATE TABLE "pears"."Country" (
    "CountryID"          CHAR(20) NOT NULL
    , "Name"              CHAR(30) NOT NULL
    , "AgencyID"         CHAR(20) NULL
    , "SortOrder"         SMALLINT NULL
    , PRIMARY KEY ("CountryID" ASC)
)
GO

COMMENT ON TABLE "pears"."Country" IS
    'List of Countries used to speed address entry'
GO

ALTER TABLE "pears"."Country"
    ADD FOREIGN KEY "AgencyDetails" ("AgencyID" ASC)
    REFERENCES "pears"."agencydetails" ("agencyid")
    ON DELETE CASCADE
GO

CREATE TRIGGER "WPK_country_COUNTRY" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."country"
FOR each statement
BEGIN
    CALL "WPKTrackChange"('P','COUNTRY')
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."Country"."WPK_country_COUNTRY" IS
```



```
{CREATE TRIGGER WPK_country_COUNTRY
  after INSERT,DELETE,UPDATE ORDER 1 ON
country
FOR each statement
BEGIN
  CALL WPKTrackChange('P','COUNTRY')
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_country

Last update: **2026/08/07 19:24**

