



pears.CustomWPFieldsLink



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
CustomWPFieldsLinkID	char(20)	NOT NULL		
CustomWPFieldsID	char(20)	NOT NULL		
DivisionID	char(20)	NULL		
DepartmentID	char(2)	NULL		

Primary Key

- CustomWPFieldsLinkID

Foreign Keys

Constraint	Columns	References	Delete/update action
CustomWPFields	CustomWPFieldsID	pears.CustomWPFields (CustomWPFieldsID)	NOT NULL; ON DELETE CASCADE
division	DivisionID	pears.Division (divisionid)	ON DELETE CASCADE
Department	DepartmentID	pears.Department (departmentid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.

Triggers

- No triggers found.



Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."CustomWPFieldsLink"
-- Table comment:
-- Statement count: 4

CREATE TABLE "pears"."CustomWPFieldsLink" (
    "CustomWPFieldsLinkID"          CHAR(20) NOT NULL
    ,"CustomWPFieldsID"              CHAR(20) NOT NULL
    ,"DivisionID"                    CHAR(20) NULL
    ,"DepartmentID"                  CHAR(2) NULL
    ,PRIMARY KEY ("CustomWPFieldsLinkID" ASC)
)
GO

ALTER TABLE "pears"."CustomWPFieldsLink"
    ADD NOT NULL FOREIGN KEY "CustomWPFields" ("CustomWPFieldsID" ASC)
    REFERENCES "pears"."CustomWPFields" ("CustomWPFieldsID")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."CustomWPFieldsLink"
    ADD FOREIGN KEY "division" ("DivisionID" ASC)
    REFERENCES "pears"."Division" ("divisionid")
    ON DELETE CASCADE
GO

ALTER TABLE "pears"."CustomWPFieldsLink"
    ADD FOREIGN KEY "Department" ("DepartmentID" ASC)
    REFERENCES "pears"."Department" ("departmentid")
    ON DELETE CASCADE
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_customwpfieldslink

Last update: **2026/08/07 19:24**

