



pears.DashboardObject



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Objects which may appear on IQXWeb dashboard

Columns

Column	Type	Null	Default	Comment
DashboardObjectID	char(20)	NOT NULL		
StaffID	char(20)	NULL		
Type	char(50)	NOT NULL		
Title	char(250)	NOT NULL		
Descriptor	long varchar	NULL		
Shared	smallint	NULL	0	
AccessLevel	smallint	NULL	0	
SortOrder	smallint	NULL	0	

Primary Key

- DashboardObjectID

Foreign Keys

Constraint	Columns	References	Delete/update action
Staff	StaffID	pears.staff (staffid)	ON DELETE CASCADE

Referenced By

Table	Constraint	Columns	Referenced columns
pears.DashboardDisplayedObject	DashboardObject	DashboardObjectID	DashboardObjectID



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DashboardObject"
-- Table comment: Objects which may appear on IQXWeb dashboard
-- Statement count: 3
```

```
CREATE TABLE "pears"."DashboardObject" (
    "DashboardObjectID"      CHAR(20) NOT NULL
    , "StaffID"              CHAR(20) NULL
    , "Type"                 CHAR(50) NOT NULL
    , "Title"               CHAR(250) NOT NULL
    , "Descriptor"          long VARCHAR NULL
    , "Shared"              SMALLINT NULL DEFAULT 0
    , "AccessLevel"         SMALLINT NULL DEFAULT 0
    , "SortOrder"           SMALLINT NULL DEFAULT 0
    , PRIMARY KEY ("DashboardObjectID" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."DashboardObject" IS
    'Objects which may appear on IQXWeb dashboard'
GO
```

```
ALTER TABLE "pears"."DashboardObject"
    ADD FOREIGN KEY "Staff" ("StaffID" ASC)
    REFERENCES "pears"."staff" ("staffid")
    ON DELETE CASCADE
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_dashboardobject

Last update: **2026/08/07 19:24**

