



pears.DAXTRAParams



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Used for Daxtra Document Imports. Populated from Daxtra Web Service.

Columns

Column	Type	Null	Default	Comment
DAXTRAParamsID	char(20)	NOT NULL		
id	char(20)	NULL		
dname	long varchar	NULL		
dvalue	long varchar	NULL		

Primary Key

- DAXTRAParamsID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
paramsid	Index	id	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DAXTRAParams"
-- Table comment: Used for Daxtra Document Imports. Populated from Daxtra
Web Service.
-- Statement count: 3

CREATE GLOBAL TEMPORARY TABLE "pears"."DAXTRAParams" (
    "DAXTRAParamsID"          CHAR(20) NOT NULL
    , "id"                     CHAR(20) NULL
    , "dname"                  long VARCHAR NULL
    , "dvalue"                 long VARCHAR NULL
    , PRIMARY KEY ("DAXTRAParamsID" ASC)
) ON COMMIT PRESERVE ROWS
GO

COMMENT ON TABLE "pears"."DAXTRAParams" IS
    'Used for Daxtra Document Imports. Populated from Daxtra Web Service.'
GO

CREATE INDEX "paramsid" ON "pears"."DAXTRAParams"
    ( "id" )
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_daxtraparams

Last update: 2026/08/07 19:24

