



pears.DeletedDepartmentTag



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Record of deleted tag data. Purpose to save time recovering data if tag deleted by mistake. Cleared after 6 months

Columns

Column	Type	Null	Default	Comment
DeletedID	integer	NOT NULL	autoincrement	
InstanceID	char(20)	NULL		Group all deletes together
WhenDeleted	date	NULL		Used by cleanup and if multiple deletes
DepartmentTagID	char(20)	NULL		
TagID	char(3)	NULL		
TagLocation	char(3)	NULL		
DepartmentID	char(2)	NULL		

Primary Key

- DeletedID

Foreign Keys

Constraint	Columns	References	Delete/update action
Department	DepartmentID	pears.Department (departmentid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DeletedDepartmentTag"
-- Table comment: Record of deleted tag data. Purpose to save time
recovering data if tag deleted by mistake. Cleared after 6 months
-- Statement count: 5

CREATE TABLE "pears"."DeletedDepartmentTag" (
    "DeletedID"                INTEGER NOT NULL DEFAULT autoincrement
    , "InstanceID"              CHAR(20) NULL
    , "WhenDeleted"             DATE NULL
    , "DepartmentTagID"         CHAR(20) NULL
    , "TagID"                   CHAR(3) NULL
    , "TagLocation"             CHAR(3) NULL
    , "DepartmentID"           CHAR(2) NULL
    , PRIMARY KEY ("DeletedID" ASC)
)
GO

COMMENT ON COLUMN "pears"."DeletedDepartmentTag"."InstanceID" IS
    'Group all deletes together'
GO

COMMENT ON COLUMN "pears"."DeletedDepartmentTag"."WhenDeleted" IS
    'Used by cleanup and if multiple deletes'
GO

COMMENT ON TABLE "pears"."DeletedDepartmentTag" IS
    'Record of deleted tag data. Purpose to save time recovering data if tag
deleted by mistake. Cleared after 6 months'
GO
```



```
ALTER TABLE "pears"."DeletedDepartmentTag"  
  ADD FOREIGN KEY "Department" ("DepartmentID" ASC)  
  REFERENCES "pears"."Department" ("departmentid")  
  ON DELETE CASCADE  
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_deleteddepartmenttag

Last update: **2026/08/07 19:24**

