



# pears.DeletedIQXNetTagGroupMember



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

## Description

Record of deleted tag data. Purpose to save time recovering data if tag deleted by mistake. Cleared after 6 months

## Columns

| Column           | Type      | Null     | Default       | Comment                                 |
|------------------|-----------|----------|---------------|-----------------------------------------|
| <b>DeletedID</b> | integer   | NOT NULL | autoincrement |                                         |
| InstanceID       | char(20)  | NULL     |               | Group all deletes together              |
| WhenDeleted      | date      | NULL     |               | Used by cleanup and if multiple deletes |
| IQXNetTagGroupID | char(20)  | NULL     |               |                                         |
| TagLocation      | char(3)   | NULL     |               |                                         |
| TagID            | char(3)   | NULL     |               |                                         |
| SortOrder        | integer   | NULL     |               |                                         |
| Description      | char(100) | NULL     |               |                                         |
| Required         | smallint  | NULL     |               |                                         |
| ReadOnly         | smallint  | NULL     |               |                                         |

## Primary Key

- DeletedID

## Foreign Keys

| Constraint     | Columns          | References                                              | Delete/update action |
|----------------|------------------|---------------------------------------------------------|----------------------|
| IQXNetTagGroup | IQXNetTagGroupID | <a href="#">pears.IQXNetTagGroup (IQXNetTagGroupID)</a> | ON DELETE CASCADE    |

## Referenced By

- No incoming foreign keys found.



## Indexes

- No indexes found.

## Triggers

- No triggers found.

## Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DeletedIQXNetTagGroupMember"
-- Table comment: Record of deleted tag data. Purpose to save time
recovering data if tag deleted by mistake. Cleared after 6 months
-- Statement count: 5

CREATE TABLE "pears"."DeletedIQXNetTagGroupMember" (
    "DeletedID"                INTEGER NOT NULL DEFAULT autoincrement
    , "InstanceID"              CHAR(20) NULL
    , "WhenDeleted"             DATE NULL
    , "IQXNetTagGroupID"        CHAR(20) NULL
    , "TagLocation"             CHAR(3) NULL
    , "TagID"                   CHAR(3) NULL
    , "SortOrder"               INTEGER NULL
    , "Description"             CHAR(100) NULL
    , "Required"                SMALLINT NULL
    , "ReadOnly"                SMALLINT NULL
    , PRIMARY KEY ("DeletedID" ASC)
)
GO

COMMENT ON COLUMN "pears"."DeletedIQXNetTagGroupMember"."InstanceID" IS
    'Group all deletes together'
GO

COMMENT ON COLUMN "pears"."DeletedIQXNetTagGroupMember"."WhenDeleted" IS
    'Used by cleanup and if multiple deletes'
GO

COMMENT ON TABLE "pears"."DeletedIQXNetTagGroupMember" IS
```



'Record of deleted tag data. Purpose to save time recovering data if tag deleted by mistake. Cleared after 6 months'

GO

```
ALTER TABLE "pears"."DeletedIQXNetTagGroupMember"  
  ADD FOREIGN KEY "IQXNetTagGroup" ("IQXNetTagGroupID" ASC)  
  REFERENCES "pears"."IQXNetTagGroup" ("IQXNetTagGroupID")  
  ON DELETE CASCADE
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

[https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears\\_deletediqxnettaggroupmember](https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_deletediqxnettaggroupmember)

Last update: **2026/08/07 19:24**

