



pears.DeletedTagChoice



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
DeletedID	integer	NOT NULL	autoincrement	
InstanceID	char(20)	NULL		Group all deletes together
WhenDeleted	date	NULL		Used by cleanup and if multiple deletes
taglocation	char(3)	NULL		
tagid	char(3)	NOT NULL		
tagchoiceid	char(4)	NULL		
description	char(60)	NOT NULL		
sortorder	smallint	NULL		
subchoice	smallint	NULL	0	
value	double	NULL		
aliases	char(250)	NULL		
fixed	smallint	NULL	0	
DoNotPublishToWeb	smallint	NULL	0	
analysis	char(20)	NULL		
tagchoiceparentid	char(4)	NULL		
LongDescription	long varchar	NULL		
readonly	smallint	NULL		

Primary Key

- DeletedID, tagid

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DeletedTagChoice"
-- Table comment:
-- Statement count: 3

CREATE TABLE "pears"."DeletedTagChoice" (
    "DeletedID"                INTEGER NOT NULL DEFAULT autoincrement
    , "InstanceID"              CHAR(20) NULL
    , "WhenDeleted"             DATE NULL
    , "taglocation"             CHAR(3) NULL
    , "tagid"                   CHAR(3) NOT NULL
    , "tagchoiceid"             CHAR(4) NULL
    , "description"             CHAR(60) NOT NULL
    , "sortorder"               SMALLINT NULL
    , "subchoice"               SMALLINT NULL DEFAULT 0
    , "value"                   DOUBLE NULL
    , "aliases"                 CHAR(250) NULL
    , "fixed"                   SMALLINT NULL DEFAULT 0
    , "DoNotPublishToWeb"       SMALLINT NULL DEFAULT 0
    , "analysis"                CHAR(20) NULL
    , "tagchoiceparentid"       CHAR(4) NULL
    , "LongDescription"         long VARCHAR NULL
    , "readonly"                SMALLINT NULL
    , PRIMARY KEY ("DeletedID" ASC, "tagid" ASC)
)
GO

COMMENT ON COLUMN "pears"."DeletedTagChoice"."InstanceID" IS
    'Group all deletes together'
GO
```



```
COMMENT ON COLUMN "pears"."DeletedTagChoice"."WhenDeleted" IS  
    'Used by cleanup and if multiple deletes'  
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_deletedtagchoice

Last update: **2026/08/07 19:24**

