



pears.Division



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

List of Divisions in the organisation.

Columns

Column	Type	Null	Default	Comment
divisionid	char(20)	NOT NULL		
name	char(30)	NOT NULL		
Analysis	char(50)	NULL		
DefPayrollCoID	char(1)	NULL		
Colour	integer	NULL		
documenttemplateid	char(12)	NULL		
statementfrequency	char(1)	NULL		=None W=Weekly M=Monthly
BTS_Title	char(30)	NULL		
BTS_default	char(4)	NULL		
BTX_Default	char(4)	NULL		
ShortCode	char(4)	NULL		
BTS_EmailBody	long varchar	NULL		
DefaultDocPack	char(20)	NULL		
PublishToWeb	smallint	NULL	0	
WebDescription	char(50)	NULL		
ShowAltPersonWizard	smallint	NULL	0	
AllowMovingClientCC	char(1)	NULL		timesheet advanced cancel wizard will allow moving to companies with this status
ExcludeZeroPayChargeWarning	smallint	NULL	0	Warning suppressed if hours 1 col and either 0 and warning enabled
Defunct	tinyint	NULL	0	
MailChimpAPIKey	char(60)	NULL		
MailChimpURL	char(60)	NULL		
MailChimpUserName	char(100)	NULL		
IQXNetEmailDetailsID	char(20)	NULL		



Column	Type	Null	Default	Comment
AlternativeInvoiceAddress	tinyint	NULL	0	
SortCode	integer	NULL		

Primary Key

- divisionid

Foreign Keys

Constraint	Columns	References	Delete/update action
iqacddocumenttemplate	documenttemplateid	pears.IQacDocumentTemplate (DocumentTemplateID)	ON DELETE SET NULL
IQXNetEmailDetails	IQXNetEmailDetailsID	pears.IQXNetEmailDetails (IQXNetEmailDetailsID)	ON DELETE SET NULL

Referenced By

Table	Constraint	Columns	Referenced columns
pears.agencydetails	division	divisionid	divisionid
pears.AlternativeInvoiceAddressEmail	division	divisionid	divisionid
pears.AutoMatchDivisionConfig	division	DivisionID	divisionid
pears.AutoMatchNotificationQueue	division	DivisionID	divisionid
pears.AvailabilityTemplate	Division	DivisionID	divisionid
pears.BoilerPlatedivision	division	divisionid	divisionid
pears.Company	division	divisionid	divisionid
pears.ConsentType	division	DivisionID	divisionid
pears.contactevent	division	divisionid	divisionid
pears.ContactEventSpeciality	division	DivisionID	divisionid
pears.ContClassPersonDivFilter	division	DivisionID	divisionid
pears.CustomWPFieldsLink	division	DivisionID	divisionid
pears.Department	division	divisionid	divisionid
pears.DivisionAccess	division	divisionid	divisionid
pears.EBPayBand	division	DivisionID	divisionid
pears.EmailStaffNotification	division	DivisionID	divisionid
pears.EmailStaffNotificationAddress	division	DivisionID	divisionid
pears.GlobalDocumentLink	division	DivisionID	divisionid
pears.IQXNetBehaviourOverride	Division	DivisionID	divisionid
pears.IQXNetBulletinDivision	Division	DivisionID	divisionid
pears.IQXNetLanguageOverride	division	DivisionID	divisionid
pears.LocalWebPageDivision	division	divisionid	divisionid
pears.NominalSegmentDivision	Division	DivisionID	divisionid



Table	Constraint	Columns	Referenced columns
pears.NotificationTemplate	division	DivisionID	divisionid
pears.OriginDivision	division	DivisionID	divisionid
pears.Person	division	divisionid	divisionid
pears.PersonStaffLinkTypeDivision	Division	DivisionID	divisionid
pears.PersonStatusDivision	Division	DivisionID	divisionid
pears.ProgressStatusDivision	Division	DivisionID	divisionid
pears.ReportDivision	division	divisionid	divisionid
pears.SalesBrand	Division	DivisionID	divisionid
pears.staff	division	divisionid	divisionid
pears.StaffNote	Division	DivisionID	divisionid
pears.tempdesk	division	divisionid	divisionid
pears.TempJobType	division	divisionid	divisionid
pears.templatestoredivision	division	divisionid	divisionid
pears.TempPayBand	division	DivisionID	divisionid
pears.TSImage	division	DivisionID	divisionid
pears.TSQueryReasons	Division	DivisionID	divisionid

Indexes

- No indexes found.

Triggers

Name	Timing	Event
WPK_division_DIVISION	after	insert,delete,update order 1
DivisionAudit	after	update of "documenttemplateid", "analysis","DefPayrollCoID","IQXNetEmailDetailsID" order 1

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."Division"
-- Table comment: List of Divisions in the organisation.
-- Statement count: 11
```

```
CREATE TABLE "pears"."Division" (
    "divisionid"          CHAR(20) NOT NULL
    , "name"              CHAR(30) NOT NULL
    , "Analysis"          CHAR(50) NULL
    , "DefPayrollCoID"    CHAR(1) NULL
    , "Colour"            INTEGER NULL
```



```
, "documenttemplateid"          CHAR(12) NULL
, "statementfrequency"          CHAR(1) NULL
, "BTS_Title"                   CHAR(30) NULL
, "BTS_default"                 CHAR(4) NULL
, "BTX_Default"                 CHAR(4) NULL
, "ShortCode"                   CHAR(4) NULL
, "BTS_EmailBody"               long VARCHAR NULL
, "DefaultDocPack"              CHAR(20) NULL
, "PublishToWeb"                SMALLINT NULL DEFAULT 0
, "WebDescription"              CHAR(50) NULL
, "ShowAltPersonWizard"         SMALLINT NULL DEFAULT 0
, "AllowMovingClientCC"         CHAR(1) NULL
, "ExcludeZeroPayChargeWarning" SMALLINT NULL DEFAULT 0
, "Defunct"                     tinyint NULL DEFAULT 0
, "MailChimpAPIKey"              CHAR(60) NULL
, "MailChimpURL"                CHAR(60) NULL
, "MailChimpUserName"           CHAR(100) NULL
, "IQXNetEmailDetailsID"        CHAR(20) NULL
, "AlternativeInvoiceAddress"    tinyint NULL DEFAULT 0
, "SortCode"                    INTEGER NULL
, PRIMARY KEY ("divisionid" ASC)
)
GO

COMMENT ON COLUMN "pears"."Division"."statementfrequency" IS
    '=None W=Weekly M=Monthly'
GO

COMMENT ON COLUMN "pears"."Division"."AllowMovingClientCC" IS
    ' timesheet advanced cancel wizard will allow moving to companies with
this status'
GO

COMMENT ON COLUMN "pears"."Division"."ExcludeZeroPayChargeWarning" IS
    'Warning suppressed if hours 1 col and either 0 and warning enabled'
GO

COMMENT ON TABLE "pears"."Division" IS
    'List of Divisions in the organisation.'
GO

ALTER TABLE "pears"."Division"
    ADD FOREIGN KEY "iqacddocumenttemplate" ("documenttemplateid" ASC)
```



```
REFERENCES "pears"."IQacDocumentTemplate" ("DocumentTemplateID")
ON DELETE SET NULL
GO

ALTER TABLE "pears"."Division"
ADD FOREIGN KEY "IQXNetEmailDetails" ("IQXNetEmailDetailsID" ASC)
REFERENCES "pears"."IQXNetEmailDetails" ("IQXNetEmailDetailsID")
ON DELETE SET NULL
GO

CREATE TRIGGER "WPK_division_DIVISION" after INSERT,DELETE,UPDATE ORDER 1 ON
"pears"."division"
FOR each statement
BEGIN
    CALL "WPKTrackChange"('P','DIVISION')
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER
"pears"."Division"."WPK_division_DIVISION" IS
{CREATE TRIGGER WPK_division_DIVISION
after INSERT,DELETE,UPDATE ORDER 1 ON
division
FOR each statement
BEGIN
    CALL WPKTrackChange('P','DIVISION')
END
}
GO

CREATE TRIGGER "DivisionAudit" after UPDATE OF "documenttemplateid",
"analysis","DefPayrollCoID","IQXNetEmailDetailsID" ORDER 1 ON
"pears"."Division"
REFERENCING OLD AS "old_div" NEW AS "new_div"
FOR each ROW
WHEN(EXISTS(SELECT * FROM "AuditItems" WHERE "AreaName" = 'Division' AND
"AuditFlag" = 1))
BEGIN
    DECLARE @AuditList long VARCHAR;
    DECLARE @OldDescrip CHAR(250);
    DECLARE @NewDescrip CHAR(250);
    DECLARE @DivName CHAR(30);
    SELECT "string"(',',"list"("ItemName"),',') INTO @AuditList FROM
"AuditItems" WHERE "AreaName" = 'Division' AND "AuditFlag" = 1;
```



```
SET @DivName = (SELECT "name" FROM "division" WHERE
"Division"."DivisionID" = "old_div"."DivisionID");
-- Override Invoice Layout
IF "locate"(@AuditList,',Override Invoice Layout,') > 0 AND
UPDATE("documenttemplateid") THEN
    SET @OldDescrip = (SELECT "name" FROM "iqacddocumenttemplate" WHERE
"documenttemplateid" = "old_div"."documenttemplateid");
    SET @NewDescrip = (SELECT "name" FROM "iqacddocumenttemplate" WHERE
"documenttemplateid" = "new_div"."documenttemplateid");
    CALL "AuditLog"('DIVISION',"old_div"."DivisionID","string"('Override
Invoice Layout Updated - ',@DivName),@OldDescrip,@NewDescrip)
END IF;
-- Analysis
IF "locate"(@AuditList,',Analysis,') > 0 AND UPDATE("analysis") THEN
    CALL "AuditLog"('DIVISION',"old_div"."DivisionID","string"('Analysis
updated - ',@DivName),"old_div"."analysis","new_div"."analysis")
END IF;
-- Default Payroll Identifier
IF "locate"(@AuditList,',Default Payroll Identifier,') > 0 AND
UPDATE("DefPayrollCoID") THEN
    CALL "AuditLog"('DIVISION',"old_div"."DivisionID","string"('Default
Payroll Identifier updated -
',@DivName),"old_div"."DefPayrollCoID","new_div"."DefPayrollCoID")
END IF;
-- SMTP Profile
IF "locate"(@AuditList,',SMTP Profile,') > 0 AND
UPDATE("IQXNetEmailDetailsID") THEN
    CALL "AuditLog"('DIVISION',"old_div"."DivisionID","string"('SMTP Profile
updated -
',@DivName),"old_div"."IQXNetEmailDetailsID","new_div"."IQXNetEmailDetailsID
")
END IF
END
GO

COMMENT TO PRESERVE FORMAT ON TRIGGER "pears"."Division"."DivisionAudit" IS
{CREATE TRIGGER DivisionAudit
after UPDATE OF documenttemplateid, analysis, DefPayrollCoID,
IQXNetEmailDetailsID ORDER 1 ON pears.Division
REFERENCING OLD AS old_div NEW AS new_div
FOR each ROW
WHEN(EXISTS(SELECT* FROM AuditItems WHERE AreaName = 'Division' AND
AuditFlag = 1))
BEGIN
    DECLARE @AuditList long VARCHAR;
    DECLARE @OldDescrip CHAR(250);
    DECLARE @NewDescrip CHAR(250);
```



```
DECLARE @DivName CHAR(30);
SELECT string(',',list(ItemName),',') INTO @AuditList FROM AuditItems
WHERE AreaName = 'Division' AND AuditFlag = 1;
SET @DivName=(SELECT name FROM division WHERE Division.DivisionID =
old_div.DivisionID);
-- Override Invoice Layout
IF locate(@AuditList,',Override Invoice Layout,') > 0 AND
UPDATE(documenttemplateid) THEN
SET @OldDescrip=(SELECT name FROM iqacddocumenttemplate WHERE
documenttemplateid = old_div.documenttemplateid);
SET @NewDescrip=(SELECT name FROM iqacddocumenttemplate WHERE
documenttemplateid = new_div.documenttemplateid);
CALL AuditLog('DIVISION',old_div.DivisionID,string('Override Invoice
Layout Updated - ',@DivName),@OldDescrip,@NewDescrip)
END IF;
-- Analysis
IF locate(@AuditList,',Analysis,') > 0 AND UPDATE(analysis) THEN
CALL AuditLog('DIVISION',old_div.DivisionID,string('Analysis updated -
',@DivName),old_div.analysis,new_div.analysis)
END IF;
-- Default Payroll Identifier
IF locate(@AuditList,',Default Payroll Identifier,') > 0 AND
UPDATE(DefPayrollCoID) THEN
CALL AuditLog('DIVISION',old_div.DivisionID,string('Default Payroll
Identifier updated -
',@DivName),old_div.DefPayrollCoID,new_div.DefPayrollCoID)
END IF;
-- SMTP Profile
IF locate(@AuditList,',SMTP Profile,') > 0 AND
UPDATE(IQXNetEmailDetailsID) THEN
CALL AuditLog('DIVISION',old_div.DivisionID,string('SMTP Profile updated
- ',@DivName),old_div.IQXNetEmailDetailsID,new_div.IQXNetEmailDetailsID)
END IF;
END
}
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_division

Last update: **2026/08/07 19:24**

