



pears.DocPackValidation



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Used in conjunction with DocumentPackAllowed(). Rows inserted by exe and checked by the (user defined function) which needs to clean up table as required.

Columns

Column	Type	Null	Default	Comment
DocPackValidationID	char(20)	NOT NULL		
DocumentPackID	char(20)	NULL		
PersonID	char(20)	NULL		
VacancyID	char(20)	NULL		
StaffID	char(20)	NULL		
DocumentTypeID	char(20)	NULL		

Primary Key

- DocPackValidationID

Foreign Keys

Constraint	Columns	References	Delete/update action
DocumentPack	DocumentPackID	pears.DocumentPack (DocumentPackID)	ON DELETE CASCADE
Person	PersonID	pears.Person (personid)	ON DELETE CASCADE
Vacancy	VacancyID	pears.vacancy (vacancyid)	ON DELETE CASCADE
Staff	StaffID	pears.staff (staffid)	ON DELETE CASCADE
DocumentType	DocumentTypeID	pears.DocumentType (DocumentTypeID)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DocPackValidation"
-- Table comment: Used in conjunction with DocumentPackAllowed(). Rows
inserted by exe and checked by the (user defined function) which needs to
clean up table as required.
-- Statement count: 7

CREATE TABLE "pears"."DocPackValidation" (
    "DocPackValidationID"          CHAR(20) NOT NULL
    , "DocumentPackID"             CHAR(20) NULL
    , "PersonID"                   CHAR(20) NULL
    , "VacancyID"                  CHAR(20) NULL
    , "StaffID"                    CHAR(20) NULL
    , "DocumentTypeID"             CHAR(20) NULL
    , PRIMARY KEY ("DocPackValidationID" ASC)
)
GO

COMMENT ON TABLE "pears"."DocPackValidation" IS
    'Used in conjunction with DocumentPackAllowed(). Rows inserted by exe
and checked by the (user defined function) which needs to clean up table as
required.'
GO

ALTER TABLE "pears"."DocPackValidation"
    ADD FOREIGN KEY "DocumentPack" ("DocumentPackID" ASC)
    REFERENCES "pears"."DocumentPack" ("DocumentPackID")
    ON DELETE CASCADE
GO
```



```
ALTER TABLE "pears"."DocPackValidation"  
  ADD FOREIGN KEY "Person" ("PersonID" ASC)  
  REFERENCES "pears"."Person" ("personid")  
  ON DELETE CASCADE  
GO
```

```
ALTER TABLE "pears"."DocPackValidation"  
  ADD FOREIGN KEY "Vacancy" ("VacancyID" ASC)  
  REFERENCES "pears"."vacancy" ("vacancyid")  
  ON DELETE CASCADE  
GO
```

```
ALTER TABLE "pears"."DocPackValidation"  
  ADD FOREIGN KEY "Staff" ("StaffID" ASC)  
  REFERENCES "pears"."staff" ("staffid")  
  ON DELETE CASCADE  
GO
```

```
ALTER TABLE "pears"."DocPackValidation"  
  ADD FOREIGN KEY "DocumentType" ("DocumentTypeID" ASC)  
  REFERENCES "pears"."DocumentType" ("DocumentTypeID")  
  ON DELETE CASCADE  
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_docpackvalidation

Last update: **2026/08/07 19:24**

