



pears.DuplicateCheck



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Columns

Column	Type	Null	Default	Comment
DuplicateCheckID	char(20)	NOT NULL		
PersonID	char(20)	NULL		
CompanyID	char(20)	NULL		
EmploymentID	char(20)	NULL		
Postcode	char(10)	NULL		
Email	char(200)	NULL		
Forenames	char(30)	NULL		
Surname	char(30)	NULL		
dupetext	char(60)	NULL		
Companyname	char(60)	NULL		
WhenEntered	date	NULL		
WhoEntered	char(20)	NULL		
DateOfBirth	date	NULL		
ni	char(10)	NULL		

Primary Key

- DuplicateCheckID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.DuplicateCheckResult	DuplicateCheckResult1	DuplicateCheckID	DuplicateCheckID



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."DuplicateCheck"
-- Table comment:
-- Statement count: 1

CREATE TABLE "pears"."DuplicateCheck" (
    "DuplicateCheckID"          CHAR(20) NOT NULL
    , "PersonID"                CHAR(20) NULL
    , "CompanyID"               CHAR(20) NULL
    , "EmploymentID"           CHAR(20) NULL
    , "Postcode"               CHAR(10) NULL
    , "Email"                  CHAR(200) NULL
    , "Forenames"              CHAR(30) NULL
    , "Surname"                CHAR(30) NULL
    , "dupetext"               CHAR(60) NULL
    , "Companyname"            CHAR(60) NULL
    , "WhenEntered"            DATE NULL
    , "WhoEntered"             CHAR(20) NULL
    , "DateOfBirth"            DATE NULL
    , "ni"                     CHAR(10) NULL
    , PRIMARY KEY ("DuplicateCheckID" ASC)
)
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_duplicatecheck

Last update: 2026/08/07 19:24

