



pears.ETipLog



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Shift Import from Email (log)

Columns

Column	Type	Null	Default	Comment
LogID	char(20)	NOT NULL		
shiftdate	date	NULL		
WhenCreated	timestamp	NULL		
messageid	char(100)	NULL		
tempshiftid	char(20)	NULL		
jobcode	char(60)	NULL		
locationcode	char(100)	NULL		
shiftfrom	tinyint	NULL		
shiftto	tinyint	NULL		
tempshiftplanid	char(20)	NULL		
etipid	char(20)	NULL		

Primary Key

- LogID

Foreign Keys

Constraint	Columns	References	Delete/update action
TempShiftTemplate	tempshiftplanid	pears.TempShiftTemplate (TempShiftTemplateID)	ON DELETE SET NULL
Etip	etipid	pears.ETip (EtipID)	ON DELETE SET NULL



Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
Etip	Unique index	jobcode, locationcode, shiftdate	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."ETipLog"
-- Table comment: Shift Import from Email (log)
-- Statement count: 5

CREATE TABLE "pears"."ETipLog" (
    "LogID" CHAR(20) NOT NULL
    , "shiftdate" DATE NULL
    , "WhenCreated" TIMESTAMP NULL
    , "messageid" CHAR(100) NULL
    , "tempshiftid" CHAR(20) NULL
    , "jobcode" CHAR(60) NULL
    , "locationcode" CHAR(100) NULL
    , "shiftfrom" tinyint NULL
    , "shiftto" tinyint NULL
    , "tempshiftplanid" CHAR(20) NULL
    , "etipid" CHAR(20) NULL
    , PRIMARY KEY ("LogID" ASC)
)
GO

COMMENT ON TABLE "pears"."ETipLog" IS
    'Shift Import from Email (log)'
GO
```



```
ALTER TABLE "pears"."ETipLog"  
  ADD FOREIGN KEY "TempShiftTemplate" ("tempshiftplanid" ASC)  
  REFERENCES "pears"."TempShiftTemplate" ("TempShiftTemplateID")  
  ON DELETE SET NULL
```

```
GO
```

```
ALTER TABLE "pears"."ETipLog"  
  ADD FOREIGN KEY "Etip" ("etipid" ASC)  
  REFERENCES "pears"."ETip" ("EtipID")  
  ON DELETE SET NULL
```

```
GO
```

```
CREATE UNIQUE INDEX "Etip" ON "pears"."ETipLog"  
  ( "jobcode", "locationcode", "shiftdate" )
```

```
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_etiplog

Last update: **2026/08/07 19:24**

