



pears.globaldocument



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

List of standard documents for IQXWeb - contracts - terms of engagement - etc.

Columns

Column	Type	Null	Default	Comment
globaldocumentID	char(20)	NOT NULL		
description	char(50)	NOT NULL		
IQXNetUserClassID	char(20)	NULL		
AgencyID	char(20)	NULL		
FileExtension	char(5)	NULL		
DocumentTypeID	char(20)	NULL		
PublishToWeb	tinyint	NULL		
Defunct	tinyint	NULL	0	
ExternalFilePath	long varchar	NULL		
WhenEntered	date	NULL	current date	

Primary Key

- globaldocumentID

Foreign Keys

Constraint	Columns	References	Delete/update action
DocumentType	DocumentTypeID	pears.DocumentType (DocumentTypeID)	ON DELETE SET NULL
IQXNetUserClass	IQXNetUserClassID	pears.IQXNetUserClass (IQXNetUserClassID)	ON DELETE SET NULL
AgencyDetails	AgencyID	pears.agencydetails (agencyid)	ON DELETE SET NULL



Referenced By

Table	Constraint	Columns	Referenced columns
pears.GlobalDocumentLink	GlobalDocument	GlobalDocumentID	globaldocumentID
pears.NotificationDocuments	GlobalDocument	GlobalDocumentID	globaldocumentID

Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."globaldocument"
-- Table comment: List of standard documents for IQXWeb - contracts - terms
of engagement - etc.
-- Statement count: 5

CREATE TABLE "pears"."globaldocument" (
    "globaldocumentID"          CHAR(20) NOT NULL
    ,"description"              CHAR(50) NOT NULL
    ,"IQXNetUserClassID"        CHAR(20) NULL
    ,"AgencyID"                CHAR(20) NULL
    ,"FileExtension"            CHAR(5) NULL
    ,"DocumentTypeID"          CHAR(20) NULL
    ,"PublishToWeb"             tinyint NULL
    ,"Defunct"                  tinyint NULL DEFAULT 0
    ,"ExternalFilePath"         long VARCHAR NULL
    ,"WhenEntered"              DATE NULL DEFAULT CURRENT DATE
    ,PRIMARY KEY ("globaldocumentID" ASC)
)
GO

COMMENT ON TABLE "pears"."globaldocument" IS
    'List of standard documents for IQXWeb - contracts - terms of engagement
- etc.'
GO
```



```
ALTER TABLE "pears"."globaldocument"  
  ADD FOREIGN KEY "DocumentType" ("DocumentTypeID" ASC)  
  REFERENCES "pears"."DocumentType" ("DocumentTypeID")  
  ON DELETE SET NULL  
GO  
  
ALTER TABLE "pears"."globaldocument"  
  ADD FOREIGN KEY "IQXNetUserClass" ("IQXNetUserClassID" ASC)  
  REFERENCES "pears"."IQXNetUserClass" ("IQXNetUserClassID")  
  ON DELETE SET NULL  
GO  
  
ALTER TABLE "pears"."globaldocument"  
  ADD FOREIGN KEY "AgencyDetails" ("AgencyID" ASC)  
  REFERENCES "pears"."agencydetails" ("agencyid")  
  ON DELETE SET NULL  
GO
```

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_globaldocument

Last update: **2026/08/07 19:24**

