



pears.HTMLImage



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Links to contactevent - 1 record per image.

Columns

Column	Type	Null	Default	Comment
HTMLImageID	char(20)	NOT NULL		
DocType	char(20)	NOT NULL		
DocID	char(20)	NOT NULL		
FileName	char(150)	NOT NULL		
FileHash	char(32)	NULL		
BlobID	char(20)	NULL		

Primary Key

- HTMLImageID

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
HTMLImageFile	Index	DocType, DocID, FileName	



Name	Type	Columns	Detail
HTMLImageBlob	Index	BlobID	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."HTMLImage"
-- Table comment: Links to contactevent - 1 record per image.
-- Statement count: 4
```

```
CREATE TABLE "pears"."HTMLImage" (
  "HTMLImageID"          CHAR(20) NOT NULL
, "DocType"              CHAR(20) NOT NULL
, "DocID"                CHAR(20) NOT NULL
, "FileName"             CHAR(150) NOT NULL
, "FileHash"             CHAR(32) NULL
, "BlobID"               CHAR(20) NULL
, PRIMARY KEY ("HTMLImageID" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."HTMLImage" IS
  'Links to contactevent - 1 record per image.'
GO
```

```
CREATE INDEX "HTMLImageFile" ON "pears"."HTMLImage"
  ( "DocType", "DocID", "FileName" )
GO
```

```
CREATE INDEX "HTMLImageBlob" ON "pears"."HTMLImage"
  ( "BlobID" )
GO
```



From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_htmlimage

Last update: **2026/08/07 19:24**

