



pears.IQacAllocation



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Allocates payments against invoices in cash accounting.

Columns

Column	Type	Null	Default	Comment
AllocationDocumentID	char(8)	NOT NULL		
AllocatedDocumentID	char(8)	NOT NULL		
AllocatedLineNumber	smallint	NOT NULL		
AllocatedAmount	numeric(12,2)	NOT NULL		
AllocatedVAT	numeric(12,2)	NOT NULL		
AllocationDate	date	NOT NULL		

Primary Key

- AllocationDocumentID, AllocatedDocumentID, AllocatedLineNumber

Foreign Keys

Constraint	Columns	References	Delete/update action
Journal	AllocatedDocumentID, AllocatedLineNumber	pears.IQacJournal (DocumentID, LineNumber)	NOT NULL;
IQacDocument	AllocationDocumentID	pears.IQacDocument (DocumentID)	NOT NULL;

Referenced By

- No incoming foreign keys found.



Indexes

- No indexes found.

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQacAllocation"
-- Table comment: Allocates payments against invoices in cash accounting.
-- Statement count: 4
```

```
CREATE TABLE "pears"."IQacAllocation" (
    "AllocationDocumentID"          CHAR(8) NOT NULL
    ,"AllocatedDocumentID"          CHAR(8) NOT NULL
    ,"AllocatedLineNumber"          SMALLINT NOT NULL
    ,"AllocatedAmount"              NUMERIC(12,2) NOT NULL
    ,"AllocatedVAT"                 NUMERIC(12,2) NOT NULL
    ,"AllocationDate"               DATE NOT NULL
    ,PRIMARY KEY ("AllocationDocumentID" ASC,"AllocatedDocumentID"
ASC,"AllocatedLineNumber" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."IQacAllocation" IS
    'Allocates payments against invoices in cash accounting.'
GO
```

```
ALTER TABLE "pears"."IQacAllocation"
    ADD NOT NULL FOREIGN KEY "Journal" ("AllocatedDocumentID"
ASC,"AllocatedLineNumber" ASC)
    REFERENCES "pears"."IQacJournal" ("DocumentID","LineNumber")
GO
```

```
ALTER TABLE "pears"."IQacAllocation"
    ADD NOT NULL FOREIGN KEY "IQacDocument" ("AllocationDocumentID" ASC)
    REFERENCES "pears"."IQacDocument" ("DocumentID")
```



G0

From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqacallocation

Last update: **2026/08/07 19:24**

