



pears.IQacCountry



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Countries used in sales ledger.

Columns

Column	Type	Null	Default	Comment
CountryCode	char(3)	NOT NULL		
DefaultCurrencyCode	char(3)	NOT NULL		
Name	char(50)	NOT NULL		
EUFlag	smallint	NOT NULL	0	1 if member of EU

Primary Key

- CountryCode

Foreign Keys

Constraint	Columns	References	Delete/update action
IQacCurrency	DefaultCurrencyCode	pears.IQacCurrency (CurrencyCode)	NOT NULL;

Referenced By

Table	Constraint	Columns	Referenced columns
pears.IQacParams	IQacCountry	CountryCode	CountryCode

Indexes

Name	Type	Columns	Detail
IQacCtry_Name	Unique index	Name	



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQacCountry"
-- Table comment: Countries used in sales ledger.
-- Statement count: 5

CREATE TABLE "pears"."IQacCountry" (
    "CountryCode"          CHAR(3) NOT NULL
    , "DefaultCurrencyCode" CHAR(3) NOT NULL
    , "Name"                CHAR(50) NOT NULL
    , "EUFlag"              SMALLINT NOT NULL DEFAULT 0
    , PRIMARY KEY ("CountryCode" ASC)
)
GO

COMMENT ON COLUMN "pears"."IQacCountry"."EUFlag" IS
    '1 if member of EU'
GO

COMMENT ON TABLE "pears"."IQacCountry" IS
    'Countries used in sales ledger.'
GO

ALTER TABLE "pears"."IQacCountry"
    ADD NOT NULL FOREIGN KEY "IQacCurrency" ("DefaultCurrencyCode" ASC)
    REFERENCES "pears"."IQacCurrency" ("CurrencyCode")
GO

CREATE UNIQUE INDEX "IQacCtry_Name" ON "pears"."IQacCountry"
    ( "Name" )
GO
```



From:

<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqacountry

Last update: **2026/08/07 19:24**

