



pears.IQacVATRate



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

VAT rates

Columns

Column	Type	Null	Default	Comment
VATCode	char(3)	NOT NULL		
Name	char(50)	NOT NULL		
VATRate	double	NOT NULL		

Primary Key

- VATCode

Foreign Keys

- No outgoing foreign keys found.

Referenced By

Table	Constraint	Columns	Referenced columns
pears.IQacParams	IQacVATRate	DefaultVATCode	VATCode
pears.IQacParams	IQacVATRate1	UnallocatedCashVATCode	VATCode

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQacVATRate"
-- Table comment: VAT rates
-- Statement count: 2

CREATE TABLE "pears"."IQacVATRate" (
  "VATCode"          CHAR(3) NOT NULL
, "Name"            CHAR(50) NOT NULL
, "VATRate"         DOUBLE NOT NULL
, PRIMARY KEY ("VATCode" ASC)
)
GO

COMMENT ON TABLE "pears"."IQacVATRate" IS
  'VAT rates'
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqacvatrate

Last update: **2026/08/07 19:24**

