



pears.iqbackuplog



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Results of database event backups. Redundant if IQXHub Backup used.

Columns

Column	Type	Null	Default	Comment
id	integer	NOT NULL	autoincrement	
timecompleted	timestamp	NOT NULL		
description	long varchar	NULL		

Primary Key

- id

Foreign Keys

- No outgoing foreign keys found.

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."iqbackuplog"
-- Table comment: Results of database event backups. Redundant if IQXHub
Backup used.
-- Statement count: 2

CREATE TABLE "pears"."iqbackuplog" (
    "id"                INTEGER NOT NULL DEFAULT autoincrement
    ,"timecompleted"    TIMESTAMP NOT NULL
    ,"description"       long VARCHAR NULL
    ,PRIMARY KEY ("id" ASC)
)
GO

COMMENT ON TABLE "pears"."iqbackuplog" IS
    'Results of database event backups. Redundant if IQXHub Backup used.'
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - **iqx**

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqbackuplog

Last update: **2026/08/07 19:24**

