



pears.IQXAccountsStatistics



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Incomplete attempt at speeding up margin reporting.

Columns

Column	Type	Null	Default	Comment
IQXAccountsStatisticsID	char(20)	NOT NULL		
IQXYear	smallint	NULL		
IQXWeek	smallint	NULL		
AccountingDate	date	NULL		
Amount	numeric(12,2)	NULL		
Description	char(100)	NULL		
Type	char(20)	NULL		
NominalCodeSegment1	char(12)	NULL		
NominalCodeSegment2	char(12)	NULL		
NominalCodeSegment3	char(12)	NULL		
NominalCodeSegment4	char(12)	NULL		
NominalCodeSegment5	char(12)	NULL		
PayrollCompany	char(10)	NULL		
DivisionAnalysisCode	char(50)	NULL		
DepartmentAnalysisCode	char(50)	NULL		
TimesheetAnalysisCode	char(50)	NULL		
ConsultantAnalysisCode	char(50)	NULL		
ClientAccountCode	char(20)	NULL		
CompanyID	char(20)	NULL		
PersonID	char(20)	NULL		
TempTimesheetID	char(20)	NULL		
TempTimesheetLineID	char(20)	NULL		
TempDeskID	char(20)	NULL		
StaffID	char(20)	NULL		
PayslipID	integer	NULL		
PayrollNumber	char(20)	NULL		



Column	Type	Null	Default	Comment
PersonName	char(50)	NULL		
CompanyName	char(50)	NULL		
TimesheetSerial	char(20)	NULL		
TimesheetLineNumber	smallint	NULL		
DocumentNumber	char(20)	NULL		
DocumentID	char(20)	NULL		
DocumentLineNumber	smallint	NULL		
SalesOrCost	char(1)	NULL		
Currency	char(3)	NULL		
PAYETaxSession	char(20)	NULL		
TransferBatch	integer	NULL		
PlacementID	char(20)	NULL		
TempShiftID	char(20)	NULL		
DocumentLineType	char(1)	NULL		
WageTypeCode	char(10)	NULL		
PlacementConsultantAnalysisCode	char(50)	NULL		
VacancyConsultantAnalysisCode	char(50)	NULL		
TimesheetConsultantAnalysisCode	char(50)	NULL		
TimesheetStaffID	char(20)	NULL		
PlacementStaffID	char(20)	NULL		
VacancyStaffID	char(20)	NULL		
JournalLineNumber	smallint	NULL		
VacancyID	char(20)	NULL		
PayBandPayRollFlag	char(10)	NULL		
TaxMethod	tinyint	NULL		
Paid	double	NULL		
HolPay	double	NULL		
HolLiab	double	NULL		
AWRHolRate	double	NULL		
Levy	double	NULL		
HolLiabNI	double	NULL		
ActualNI	double	NULL		
Pension	double	NULL		
Statutory	double	NULL		
Charged	double	NULL		
TempdeskAnalysiscode	char(20)	NULL		
GoodsAmount	numeric(12,2)	NULL		
PriceEach	double	NULL		
VatAmount	double	NULL		
VatCode	char(3)	NULL		
JournalNominalCode	char(12)	NULL		
PayrollIdentifier	char(1)	NULL		



Column	Type	Null	Default	Comment
Period	integer	NULL		
TimesheetSupplierCode	char(12)	NULL		
ShiftAnalysisCode	char(20)	NULL		
ShiftReferenceCode	char(20)	NULL		
ShiftSerialNumber	bigint	NULL		
TempShiftTypeID	char(20)	NULL		
AnalysisBatch	integer	NULL		
EmploymentPosition	char(50)	NULL		
EssentialSkillGradeID	char(4)	NULL		
vacancyTheirRef	char(50)	NULL		
VacancyRefcode	char(20)	NULL		
JournalClass	char(20)	NULL		
Quantity	double	NULL		
UnitDescription	char(50)	NULL		
CustomString1	char(40)	NULL		
CustomString2	char(40)	NULL		
CustomString3	char(40)	NULL		
CustomString4	char(40)	NULL		
CustomString5	char(40)	NULL		
CustomDouble1	double	NULL		
CustomDouble2	double	NULL		
CustomDouble3	double	NULL		
CustomDouble4	double	NULL		
CustomDouble5	double	NULL		
PersonStaffID	char(20)	NULL		
Quantity	double	NULL		
ShiftConsultantAnalysisCode	char(50)	NULL		
TempShiftDate	date	NULL		
IsExpenses	smallint	NULL		
DocumentDate	date	NULL		

Primary Key

- IQXAccountsStatisticsID

Foreign Keys

- No outgoing foreign keys found.



Referenced By

- No incoming foreign keys found.

Indexes

Name	Type	Columns	Detail
IQXAccountStatistics_DocumentID	Index	DocumentID	
IQXAccountStatistics_PAYETaxSession	Index	PAYETaxSession	
IQXAccountStatistics_Period_DocumentID	Index	IQXYear, IQXWeek, DocumentID	

Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXAccountsStatistics"
-- Table comment: Incomplete attempt at speeding up margin reporting.
-- Statement count: 5
```

```
CREATE TABLE "pears"."IQXAccountsStatistics" (
  "IQXAccountsStatisticsID"      CHAR(20) NOT NULL
, "IQXYear"                      SMALLINT NULL
, "IQXWeek"                     SMALLINT NULL
, "AccountingDate"              DATE NULL
, "Amount"                      NUMERIC(12,2) NULL
, "Description"                 CHAR(100) NULL
, "Type"                        CHAR(20) NULL
, "NominalCodeSegment1"         CHAR(12) NULL
, "NominalCodeSegment2"         CHAR(12) NULL
, "NominalCodeSegment3"         CHAR(12) NULL
, "NominalCodeSegment4"         CHAR(12) NULL
, "NominalCodeSegment5"         CHAR(12) NULL
, "PayrollCompany"              CHAR(10) NULL
, "DivisionAnalysisCode"        CHAR(50) NULL
, "DepartmentAnalysisCode"      CHAR(50) NULL
, "TimesheetAnalysisCode"       CHAR(50) NULL
, "ConsultantAnalysisCode"      CHAR(50) NULL
, "ClientAccountCode"           CHAR(20) NULL
, "CompanyID"                   CHAR(20) NULL
```



```
, "PersonID" CHAR(20) NULL
, "TempTimesheetID" CHAR(20) NULL
, "TempTimesheetLineID" CHAR(20) NULL
, "TempDeskID" CHAR(20) NULL
, "StaffID" CHAR(20) NULL
, "PayslipID" INTEGER NULL
, "PayrollNumber" CHAR(20) NULL
, "PersonName" CHAR(50) NULL
, "CompanyName" CHAR(50) NULL
, "TimesheetSerial" CHAR(20) NULL
, "TimesheetLineNumber" SMALLINT NULL
, "DocumentNumber" CHAR(20) NULL
, "DocumentID" CHAR(20) NULL
, "DocumentLineNumber" SMALLINT NULL
, "SalesOrCost" CHAR(1) NULL
, "Currency" CHAR(3) NULL
, "PAYETaxSession" CHAR(20) NULL
, "TransferBatch" INTEGER NULL
, "PlacementID" CHAR(20) NULL
, "TempShiftID" CHAR(20) NULL
, "DocumentLineType" CHAR(1) NULL
, "WageTypeCode" CHAR(10) NULL
, "PlacementConsultantAnalysisCode" CHAR(50) NULL
, "VacancyConsultantAnalysisCode" CHAR(50) NULL
, "TimesheetConsultantAnalysisCode" CHAR(50) NULL
, "TimesheetStaffID" CHAR(20) NULL
, "PlacementStaffID" CHAR(20) NULL
, "VacancyStaffID" CHAR(20) NULL
, "JournalLineNumber" SMALLINT NULL
, "VacancyID" CHAR(20) NULL
, "PayBandPayRollFlag" CHAR(10) NULL
, "TaxMethod" tinyint NULL
, "Paid" DOUBLE NULL
, "HolPay" DOUBLE NULL
, "HolLiab" DOUBLE NULL
, "AWRHolRate" DOUBLE NULL
, "Levy" DOUBLE NULL
, "HolLiabNI" DOUBLE NULL
, "ActualNI" DOUBLE NULL
, "Pension" DOUBLE NULL
, "Statutory" DOUBLE NULL
, "Charged" DOUBLE NULL
, "TempdeskAnalysiscode" CHAR(20) NULL
, "GoodsAmount" NUMERIC(12,2) NULL
, "PriceEach" DOUBLE NULL
, "VatAmount" DOUBLE NULL
, "VatCode" CHAR(3) NULL
, "JournalNominalCode" CHAR(12) NULL
```



```
, "PayrollIdentifier"          CHAR(1) NULL
, "Period"                    INTEGER NULL
, "TimesheetSupplierCode"     CHAR(12) NULL
, "ShiftAnalysisCode"         CHAR(20) NULL
, "ShiftReferenceCode"        CHAR(20) NULL
, "ShiftSerialNumber"         BIGINT NULL
, "TempShiftTypeID"           CHAR(20) NULL
, "AnalysisBatch"             INTEGER NULL
, "EmploymentPosition"        CHAR(50) NULL
, "EssentialSkillGradeID"     CHAR(4) NULL
, "vacancyTheirRef"           CHAR(50) NULL
, "VacancyRefcode"            CHAR(20) NULL
, "JournalClass"              CHAR(20) NULL
, "Quanity"                   DOUBLE NULL
, "UnitDescription"           CHAR(50) NULL
, "CustomString1"             CHAR(40) NULL
, "CustomString2"             CHAR(40) NULL
, "CustomString3"             CHAR(40) NULL
, "CustomString4"             CHAR(40) NULL
, "CustomString5"             CHAR(40) NULL
, "CustomDouble1"             DOUBLE NULL
, "CustomDouble2"             DOUBLE NULL
, "CustomDouble3"             DOUBLE NULL
, "CustomDouble4"             DOUBLE NULL
, "CustomDouble5"             DOUBLE NULL
, "PersonStaffID"             CHAR(20) NULL
, "Quantity"                   DOUBLE NULL
, "ShiftConsultantAnalysisCode" CHAR(50) NULL
, "TempShiftDate"             DATE NULL
, "IsExpenses"                SMALLINT NULL
, "DocumentDate"              DATE NULL
, PRIMARY KEY ("IQXAccountsStatisticsID" ASC)
)
GO
```

```
COMMENT ON TABLE "pears"."IQXAccountsStatistics" IS
    'Incomplete attempt at speeding up margin reporting.'
GO
```

```
CREATE INDEX "IQXAccountStatistics_DocumentID" ON
"pears"."IQXAccountsStatistics"
( "DocumentID" )
GO
```

```
CREATE INDEX "IQXAccountStatistics_PAYETaxSession" ON
```



```
"pears"."IQXAccountsStatistics"  
  ( "PAYETaxSession" )
```

GO

```
CREATE INDEX "IQXAccountStatistics_Period_DocumentID" ON  
"pears"."IQXAccountsStatistics"  
  ( "IQXYear", "IQXWeek", "DocumentID" )
```

GO

From:

<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:

https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxaccountsstatistics

Last update: **2026/08/07 19:24**

