



pears.IQXNetBulletinDivision



Generated schema reference. Regenerate this page from the SQL unload; keep hand-maintained business notes in the narrative namespace.

Description

Junction table that restricts a bulletin to specific divisions. If no rows exist for a bulletin it is shown across all divisions. Multiple rows can be inserted to target several divisions simultaneously.

Columns

Column	Type	Null	Default	Comment
IQXNetBulletinDivisionID	char(20)	NOT NULL		
IQXNetBulletinID	char(20)	NULL		FK â†’ IQXNetBulletin
DivisionID	char(20)	NULL		FK â†’ Division â€” limits bulletin visibility to this division

Primary Key

- IQXNetBulletinDivisionID

Foreign Keys

Constraint	Columns	References	Delete/update action
IQXNetBulletin	IQXNetBulletinID	pears.IQXNetBulletin (IQXNetBulletinID)	ON DELETE CASCADE
Division	DivisionID	pears.Division (divisionid)	ON DELETE CASCADE

Referenced By

- No incoming foreign keys found.

Indexes

- No indexes found.



Triggers

- No triggers found.

Original SQL

```
-- IQX database structure split by table
-- Source: IQXDatabaseStructure - with comments.sql
-- Table: "pears"."IQXNetBulletinDivision"
-- Table comment: Junction table that restricts a bulletin to specific
divisions. If no rows exist for a bulletin it is shown across all divisions.
Multiple rows can be inserted to target several divisions simultaneously.
-- Statement count: 6

CREATE TABLE "pears"."IQXNetBulletinDivision" (
    "IQXNetBulletinDivisionID"      CHAR(20) NOT NULL
    ,"IQXNetBulletinID"              CHAR(20) NULL
    ,"DivisionID"                    CHAR(20) NULL
    ,PRIMARY KEY ("IQXNetBulletinDivisionID" ASC)
)
GO

COMMENT ON COLUMN "pears"."IQXNetBulletinDivision"."IQXNetBulletinID" IS
    'FK â†’ IQXNetBulletin'
GO

COMMENT ON COLUMN "pears"."IQXNetBulletinDivision"."DivisionID" IS
    'FK â†’ Division â€” limits bulletin visibility to this division'
GO

COMMENT ON TABLE "pears"."IQXNetBulletinDivision" IS
    'Junction table that restricts a bulletin to specific divisions. If no
rows exist for a bulletin it is shown across all divisions. Multiple rows
can be inserted to target several divisions simultaneously.'
GO

ALTER TABLE "pears"."IQXNetBulletinDivision"
    ADD FOREIGN KEY "IQXNetBulletin" ("IQXNetBulletinID" ASC)
    REFERENCES "pears"."IQXNetBulletin" ("IQXNetBulletinID")
    ON DELETE CASCADE
GO
```



```
ALTER TABLE "pears"."IQXNetBulletinDivision"  
  ADD FOREIGN KEY "Division" ("DivisionID" ASC)  
  REFERENCES "pears"."Division" ("divisionid")  
  ON DELETE CASCADE  
GO
```

From:
<https://iqxusers.co.uk/iqxhelp/> - iqx

Permanent link:
https://iqxusers.co.uk/iqxhelp/doku.php?id=database:tables:pears_iqxnetbulletindivision

Last update: **2026/08/07 19:24**

